

WHOI-87-42

**Midwater Fish Data Report
for Warm-Core Gulf Stream Rings Cruises
1981-1982**

by

James E. Craddock
Richard H. Backus
and
Mary Ann Daher

Woods Hole Oceanographic Institution
Woods Hole, Massachusetts 02543

October 1987

Technical Report

*Funding was provided by the National Science Foundation
under Grant Numbers OCE 80-17270 and OCE 86-20402.*

*Reproduction in whole or in part is permitted for any purpose of the
United States Government. This report should be cited as:
Woods Hole Oceanog. Inst. Tech. Rept., WHOI-87-42.*

Approved for publication; distribution unlimited.

Approved for Distribution:



Richard H. Backus, Chairman
Department of Biology

TABLE OF CONTENTS

	Page
Introduction	iii
Acknowledgements	iv
Literature cited	v
Station data, <u>Atlantis II</u> cruise 110	1
Station data, <u>Oceanus</u> cruise 118	2
Station data, <u>Oceanus</u> cruise 121	3
Station data, <u>Oceanus</u> cruise 125	4
Station data, <u>Knorr</u> cruise 98	6
Collection data, <u>Atlantis II</u> cruise 110	7
Collection data, <u>Oceanus</u> cruise 118	8
Collection data, <u>Oceanus</u> cruise 121	10
Collection data, <u>Oceanus</u> cruise 125	12
Collection data, <u>Knorr</u> cruise 98	15
List of species	17
Depths (m) at which nets were closed and opened	23
Temperature (°C) at depths where nets were closed and opened	24
Salinity (‰) at depths where nets were closed and opened	25
Abundance of fishes (specimens/10,000 m ³).	26
Volume of fishes (ml/10,000 m ³).	27
Abundance and volume of certain families (alphabetically)	28
Abundance and volume of certain species (alphabetically)	40

INTRODUCTION

This data report is for midwater fishes collected during the multidisciplinary Warm-Core Rings Program in 1981 and 1982.

Stations were made in and near three warm-core rings on five cruises within a period of 14 months. On Atlantis II cruise 110 (September-October 1981) six stations were made in and around ring 81-D (age two months). Stations were made in the vicinity of ring 82-B on three cruises in 1982--twelve stations during Oceanus 118 (April) when the ring was two months old, 15 stations during Oceanus 121 (June) at age four months, and 19 stations during Oceanus 125 (August) at age 5.5 months. Finally, twelve stations were made in and near meander/ring 82-H (age 0) during Knorr 98 in September/October 1982 (Tables 1-10).

The collections were made with a new midwater trawl - the MOCNESS-20 (MOC-20) (Wiebe et al., 1985), a scaled-up version of the MOCNESS-1 (an apparatus for collecting zooplankton; Wiebe et al., 1976) and successor to the MOCNESS-10 (like the MOC-20, a midwater trawl). (The number forming the distinctive part of the name of these nets is equal to the area of the projected mouth in square meters when the apparatus is in a common fishing attitude.) The MOC-20 consists of a set of 3-mm mesh rectangular nets that can be opened and closed by command from the surface via a signal-conducting towing warp. Apparatus attached to the net frame measures and transmits depth, temperature, conductivity, flow, and net-frame angle to the towing ship's laboratory. Flow (net speed), vertical velocity, and net-frame angle allow computation of the water volume filtered. On the WCR cruises a set of five or six nets was used. One net (not used for quantitative analyses) was fished down to 1000 m, then closed and a second net opened. The second and successive nets were closed and opened sequentially at intervals as the apparatus was brought back to the surface. A surface-to-surface cycle with the gear is referred to as a station, the contents of a single net as a collection. In addition to being described by latitude and longitude, stations are located in the same radial coordinate system used to composite the warm-core rings physical data, that is, by distance and bearing from the moving ring center.

A typical 1000-m station (up nets) lasted about two and a half hours and filtered about 150,000 m³. Individual nets filtered between 30,000 and 40,000 m³. The MOC-20 was used at 64 stations during the 1981-1984 program; at 57 of these stations, complete 1000-m profiles were successfully made (two profiles were to 1250 m) and a total of 312 collections secured. There were 21 stations in the cores of rings, 15 in the outer, high velocity regions (HVR) of the rings, 17 in the Slope Water, and two each in the Gulf Stream and Northern Sargasso Sea.

When sampled, ring 81-D was about three months old and was elliptically shaped (about 190 by 144 km); it was interacting and exchanging waters with the Gulf Stream (Joyce et al., 1983; Joyce, 1984; Joyce et al., 1984).

The following history of warm-core ring 82-B is taken from Evans et al. (1985), Joyce and Kennelly (1985), Schmitt and Olson (1985), Boyd et al. (1986), and Conte et al. (1986). Ring 82-B was formed in mid-February 1982 and was centered at 38.5°N, 70°W. Between then and mid June, while moving to the southwest about 450 km, it changed little physically. Its diameter shrank from 160 to 130 km; its core cooled from 17.7°C to 15.7° but extended about as deep as before. By August, after interactions with shelf water, the Slope Water, and the Gulf Stream, its diameter had been reduced to only 45 km. Waters in both the upper 100 m and deeper than 500 m had been completely exchanged. Finally, 82-B was swept away by the Gulf Stream in September at age seven months.

When first sampled by us, 82-H was actually a large (190 km diameter) Gulf Stream meander; by October 9 the ring was separated from the stream, was about 220 km in diameter, and was moving to the WSW at about 10 km/day (Stalcup et al., 1986).

A total of 142,630 specimens have been identified, most of them to species, some (Bathylagus, Bregmaceros) to genus only, a few (searsiids, paralepidids) to family only. At least 234 species are represented (Table 11).

Table 12 gives depths where nets were closed and opened (depth intervals fished by each net) and is thus a key for the remaining tables. Tables 13 and 14 give temperature and salinity limits, respectively, for the collections.

The remaining tables concern the abundance and biomass of fishes, and are in two parts. The upper section gives values for each collection (each depth interval) and corresponds with Table 12. Nighttime collections are underlined; daytime ones, not. The lower section gives integrated values for each station to a depth of 1000 m (1 specimen/10,000 m³ = 1 specimen/10 m² of sea surface for the 1000 m water column).

Volumes, measured on a lot-by-lot basis, are wet weight displacements of specimens in 70% ethyl alcohol (specimens had initially been preserved in 10% formaldehyde and transferred to 35% and then 70% alcohol).

ACKNOWLEDGEMENTS

We sincerely thank Valerie Barber, E. Bertelsen, Don Bourne, Steve Boyd, Bob Gibbs, Karsten Hartel, Charles Karnella, Al Morton, John Pirie, Peter Wiebe, and Joe Wroblewski for all manner of help. The work was supported by NSF Grants OCE 80-17270 and 20402.

LITERATURE CITED

- Boyd, S. H., P. H. Wiebe, R. H. Backus, J. E. Craddock, and M. A. Daher. 1986. Biomass of the micronekton in Gulf Stream ring 82-B and environs: changes with time. *Deep-sea Res.*, 33:1885-1905.
- Conte, M. H., J. K. B. Bishop, and R. H. Backus. 1986. 12-kHz nonmigratory deep scattering layers of Sargasso Sea origin in warm-core rings. *Deep-sea Res.*, 33:1869-1884.
- Evans, R. H., K. S. Baker, O. B. Brown, and R. C. Smith. 1985. Chronology of warm-core ring 82-B. *J. Geophys. Res.*, 90:8803-8811.
- Joyce, T. M. 1984. Velocity and hydrographic structure of a Gulf Stream warm-core ring. *J. Physical Oceanogr.*, 14:936-947.
- Joyce, T., R. Backus, K. Baker, P. Blackwelder, O. Brown, T. Cowles, R. Evans, G. Fryxell, D. Mountain, D. Olson, R. Schlitz, R. Schmitt, P. Smith, R. Smith, and P. Wiebe. 1984. Rapid evolution of a Gulf Stream warm-core ring. *Nature*, 308 (5962), 837-840.
- Joyce, T. M., and M. A. Kennelly. 1985. Upper ocean velocity structure of Gulf Stream warm-core ring 82-B. *J. Geophys. Res.*, 90:8839-8844.
- Joyce, T. M., R. W. Schmitt, and M. C. Stalcup. 1983. Influence of the Gulf Stream on the short term evolution of a warm-core ring. *Aust. J. Mar. Fresh Water Res.*, 34:515-524.
- Schmitt, R. W., and D. B. Olson. 1985. Wintertime convection in warm core rings: thermocline ventilation and the formation of mesoscale eddies. *J. Geophys. Res.*, 90:8823-8837.
- Stalcup, M. C., T. M. Joyce, R. L. Barbour, and J. A. Dunworth. 1986. Hydrographic data from R/V Endeavor cruise #90. Woods Hole Oceanogr. Inst. Tech. Rep. WHOI-86-15.
- Wiebe, P. H., K. H. Burt, S. H. Boyd and A. W. Morton. 1976. A multiple opening/closing net and environmental sensing system for sampling zooplankton. *J. Mar. Res.*, 34(3): 313-326.
- Wiebe, P. H., A. W. Morton, A. M. Bradley, R. H. Backus, J. E. Craddock, V. A. Barber, T. J. Cowles, and G. R. Flierl. 1985. New developments in the MOCNESS, an apparatus for sampling zooplankton and micronekton. *Mar. Biol.*, 87:313-323.

Table 1. Summary of MOCNESS-20 stations, Atlantis II Cruise 110.

MOCNESS	Position		Date Sept-Oct 1981	Time (+4)	Depth to 10°C	Area
	N	W				
20-1	40°14' 40°07'	63°28' 63°34'	23-24	(2144-)0009-0242	615	Ring 81-D, Core
20-2	41°05' 41°09'	63°33' 63°34'	28	(0006-)0118-0320	330	Ring 81-D, Edge
20-3	40°57' 41°01'	63°35' 63°31'	28	(1408-)1530-1736	343	Ring 81-D, Edge
20-4	40°08' 40°14'	66°00' 65°57'	3	(0735-)0835-1118	240	Slope Water
20-5	40°15' 40°23'	66°07' 66°08'	3-4	(2218-)0015-0243	240	Slope Water
20-6	39°54' 39°49'	67°42' 67°36'	5-6	(2323-)0038-0302	240	Slope Water

Table 2. Summary of MOCNESS-20 stations, Oceanus Cruise 118.

MOCNESS	Position		Date April-May 1982	Time (+5)	Depth to 10°C	Area
	N	W				
20-7	39°13.4' 39°16.2'	69°35.2' 69°34.5'	19	(1354-)1501-1607	252	Slope Water
20-8	39°17.3' 39°21.3'	69°32.9' 69°30.0'	20	(0112-)0250-0421	224	Slope Water
20-9	39°09.2' 39°11.3'	69°41.7' 69°38.9'	21	(1209-)1345-1510	234	Slope Water
20-10	38°57.9' 39°00.7'	71°15.8' 71°15.7'	22	(0034-)0229-0357	568	Ring 82-B, Core
20-11	38°54.6' 38°50.5'	71°36.8' 71°35.1'	23	(1252-)1420-1559	561	Ring 82-B, Core
20-12	38°39.4' 38°38.4'	72°05.0' 72°01.8'	24	(1231-)1407-1623	442	Ring 82-B, Edge
20-13	38°36.0' 38°32.7'	72°03.8' 72°05.4'	24-25	(2255-)0001-0137	452	Ring 82-B, Edge
				Time (+4)		
20-14	38°31.2' 38°30.9'	72°23.6' 72°19.5'	26	(0149-)0318-0504	370	Ring 82-B, Edge
20-15	38°34.6' 38°35.3'	72°31.7' 72°27.5'	26	(1358-)1507-1650	342	Ring 82-B, Edge
20-16	38°49.4' 38°50.0'	71°40.5' 71°49.8'	30	(0733-)1014-1120	548	Ring 82-B, Core
20-17	38°48.3' 38°51.0'	71°44.5' 71°53.0'	30-1	(2210-)2341-0122	553	Ring 82-B, Core
20-18	39°27.1' 39°28.0'	71°08.4' 71°01.7'	1-2	(2155-)2308-0056	255	Slope Water

Table 3. Summary of MOCNESS-20 stations, Oceanus Cruise 121.

MOCNESS	Position		Date June 1982	Time (+4)	Depth to 10°C	Area
	N	W				
20-19	39°13.5' 39°07.5'	71°17.6' 71°17.4'	15-16	(2315-)0032-0243	285	Slope Water
20-20	38°58.9' 38°55.7'	71°29.5' 71°34.2'	16	(1131-)1305-1454	246	Slope Water
20-21	37°05.7' 36°59.7'	73°37.0' 73°36.1'	18	(0015-)0141-0343	549	Ring 82-B, Core
20-23	36°58.6' 37°01.7'	73°37.3' 73°34.3'	20	(0126-)0249-0410	543	Ring 82-B, Core
20-24	36°54.6' 36°57.1'	73°36.2' 73°35.0'	20	(1335-)1439-1614	530	Ring 82-B, Core
20-25	37°02.8' 37°02.5'	73°16.2' 73°10.5'	21	(0005-)0126-0255	396	Ring 82-B, Edge
20-26	37°00.3' 37°03.4'	73°07.1' 73°04.7'	21	(1357-)1510-1657	353	Ring 82-B, Edge
20-27	37°07.5' 37°12.8'	73°08.7' 73°11.8'	23	(1505-)1629-1834	215	Ring 82-B, Entrainment Tongue
20-28	36°59.8' 36°56.3'	73°48.9' 73°56.1'	24	(0538-)0713-0926	514	Ring 82-B, Core
20-29	37°05.4' 37°07.6'	73°46.9' 73°51.8'	25-26	(2339-)0128-0327	460	Ring 82-B, Edge
20-30	37°05.5' 37°11.6'	73°45.1' 73°46.7'	26	(1329-)1452-1711	441	Ring 82-B, Edge
20-31	37°02.6' 37°06.8'	73°31.3' 73°30.2'	27	(1156-)1320-1523	406	Ring 82-B, Edge
20-32	37°01.7' 37°05.0'	73°32.3' 73°35.4'	27-28	(2204-)2340-0124	430	Ring 82-B, Edge
20-33	37°41.0' 37°46.9'	72°54.8' 72°50.7'	28-29	(2332-)0053-0313	224	Slope Water
20-34	39°22.3' 39°26.7'	71°36.0' 71°34.4'	30	(2050-)2232-2358	282	Slope Water

Table 4. Summary of MOCNESS-20 stations, Oceanus Cruise 125.

MOCNESS	Position		Date August 1982	Time (+4)	Depth to 10°C	Area
	N	W				
20-35	38°53.3' 38°56.5'	71°47.6' 71°42.1'	7	(1316-)1539-1720	255	Slope Water? (or old WCR?)
20-36	38°56.3' 38°54.5'	71°39.8' 71°32.0'	7-8	(2334-0248)	247	Slope Water
20-37	36°37.8' 36°34.6'	73°44.7' 73°45.4'	10	(1355-)1529-1714	398	Ring 82-B, Core
20-38	36°40.9' 36°38.3'	73°43.3' 73°46.9'	11	(0125-)0231-0414	399	Ring 82-B, Core
20-39	36°52.9' 36°51.0'	73°37.4' 73°43.8'	12	(0042-)0155-0408	398	Ring 82-B, Core
20-41	37°01.0' 37°07.3'	73°48.2' 73°47.7'	13	(0113-)0243-0446	352	Ring 82-B, Edge
20-42	36°54.3' 36°58.0'	73°54.7' 73°50.9'	14	(0105-)0228-0441	295	Ring 82-B, Edge
20-43	37°07.7' 37°00.3'	73°39.9' 73°39.9'	14	(1332-)1516-1654	336	Ring 82-B, Edge
20-44	37°07.0' 37°04.3'	73°38.2' 73°48.2'	15	(0008-)0156-0402	327	Ring 82-B, Edge
20-45	36°51.6' 36°50.5'	73°53.7' 73°40.4'	15	(1304-)1411-1758	271	Ring 82-B, Edge
20-46	36°50.0' 36°50.8'	73°40.5' 73°49.8'	15-16	(2239-)2312-0204	256	Ring 82-B, Edge
20-47	37°12.3' 37°15.5'	74°18.1' 74°25.5'	16-17	(2253-)0012-0242	233	Slope Water
20-48	37°15.6' 37°11.9'	74°24.9' 74°17.3'	17	(1424-)1550-1747	208	Slope Water
20-49	36°02.2' 36°05.6'	71°23.5' 71°31.4'	19	(0102-)0225-0431	972	Sargasso Sea
20-50	36°04.4' 36°00.6'	71°29.7' 71°32.8'	19	(1229-)1343-1519	954	Sargasso Sea

(continued)

Table 4 (continued)

20-51	37°00.9' 37°03.7'	71°17.5' 71°16.8'	20	(1403-)1526-1711	624	Gulf Stream
20-52	37°05.3' 37°04.6'	70°58.8' 70°57.3'	21	(0135-)0240-0425	632	Gulf Stream
20-53	38°22.0' 38°28.5'	70°52.7' 70°55.5'	21-22	(2346-)0104-0308	202	Slope Water
20-54	39°11.4' 39°17.5'	70°59.1' 70°58.8'	22	(1235-)1400-1556	230	Slope Water

Table 5. Summary of MOCNESS-20 stations, Knorr Cruise 98.

MOCNESS	Position		Date Sept-Oct 1982	Time (+4)	Depth to 10°C	Area
	N	W				
20-55	39°16.7' 39°17.2'	65°43.9' 65°43.4'	28	(0111-)0212-0355	568	Ring 82-H, Edge
20-56	39°28.0' 39°22.2'	64°00.6' 63°55.3'	30	(0012-)0131-0333	834	Ring 82-H, Core
20-57	39°30.1' 39°21.9'	64°14.3' 64°23.4'	30-1	(2331-)0040-0329	832	Ring 82-H, Core
20-58	39°28.7' 39°31.9'	64°36.3' 64°43.8'	2	(1241-)1356-1627	836	Ring 82-H, Core
20-59	40°45.0' 40°38.3'	65°03.0' 64°57.1'	5	(0056-)0202-0431	307	Slope Water
20-60	40°42.0' 40°36.4'	65°00.3' 64°53.2'	5	(1344-)1445-1658	301	Slope Water
20-61	39°46.7' 39°40.6'	65°14.0' 65°16.2'	7	(0019-)0119-0354	744	Ring 82-H, Core
20-62	39°26.5' 39°29.6'	65°21.7' 65°25.6'	8	(1121-)1223-1533	820	Ring 82-H, Core
20-63	39°27.4' 39°33.1'	65°35.2' 65°36.1'	8-9	(2313-)0020-0325	831	Ring 82-H, Core
20-64	39°09.7' 39°06.0'	65°57.9' 66°04.0'	13	(1337-)1445-1647	816	Ring 82-H, Core
20-65	39°04.9' 39°02.9'	68°00.3' 68°08.6'	15	(0022-)0155-0428	214	Slope Water
20-66	38°58.2' 38°58.9'	68°18.6' 68°26.2'	15	(1307-)1415-1628	242	Slope Water

Table 6. Summary of MOCNESS-20 collections, Atlantis II Cruise 110.

MOCNESS 20	Time (+4)	Depth (m)	Speed (knots)	Volume (10,000m ³)
1,0	2144-0009	0-1260	1.2	-
1,1	0009-0022	1000-750	2.0	1.2
1,2	0022-0057	750-500	1.8	3.2
1,3	0057-0151	500-250	1.9	5.0
1,4	0151-0242	250-0	2.1	5.0
2,0	0006-0118	0-1000	1.1	-
2,1	0118-0134	1000-750	1.9	1.6
2,2	0134-0150	750-500	2.1	1.5
2,3	0150-0223	500-250	2.4	3.7
2,4	0223-0320	250-0	1.8	4.8
3,0	1408-1530	0-1030	1.1	-
3,1	1530-1556	1000-750	1.8	2.6
3,2	1556-1625	750-500	2.0	2.8
3,3	1625-1701	500-250	2.4	3.7
3,4	1701-1736	250-0	1.8	2.8
4,0	0735-0835	0-1000	1.6	-
4,1	0835-0910	1000-750	2.1	3.4
4,2	0910-0944	750-500	2.2	3.2
4,3	0944-1035	500-250	2.1	4.6
4,4	1035-1118	250-0	2.3	4.3
5,0	2218-0015	0-1000	1.4	-
5,1	0015-0057	1000-750	2.1	3.9
5,2	0057-0134	750-500	2.1	3.2
5,3	0134-0206	500-250	2.0	2.7
5,4	0206-0243	250-0	2.1	3.0
6,0	2323-0038	0-1010	1.3	-
6,1	0038-0302	1000-0	2.0	12.6

Table 7. Summary of MOCNESS-20 collections, Oceanus Cruise 118.

MOCNESS 20	Time (+5)	Depth (m)	Speed (knots)	Volume (10,000m ³)	Distance to Ring Center (km)	Angle from Ring Center
7,0	1354-1607	0-1022-0	1.6	-	149	079
8,0	0112-0250	0-1026	1.2	-	155	077
8,1	0250-0308	1000-750	2.4	2.2		
8,2	0308-0327	750-500	2.3	2.2		
8,3	0327-0344	500-250	2.1	1.7	161	075
9,0	1209-1345	0-1029	1.1	-	146	080
9,1	1345-1407	1000-750	1.6	1.5		
9,2	1407-1427	750-500	1.7	1.4		
9,3	1427-1450	500-250	1.7	1.7		
9,4	1450-1510	250-0	1.6	1.5	152	079
10,0	0034-0229	0-1019	1.1	-	13	060
10,1	0229-0252	1000-750	1.5	1.7		
10,2	0252-0307	750-500	1.9	1.1		
10,3	0307-0327	500-250	2.1	1.7		
10,4	0327-0355	250-0	2.0	2.5	17	044
11,0	1252-1420	0-1039	1.6	-	13	275
11,1	1420-1452	1000-750	1.7	2.8		
11,2	1452-1509	750-500	2.0	1.6		
11,3	1509-1526	500-250	2.3	1.8		
11,4	1526-1559	250-0	2.0	3.4	11	235
12,0	1231-1407	0-1029	1.4	-	56	240
12,1	1407-1444	1000-750	1.5	2.9		
12,2	1444-1514	750-500	1.6	2.4		
12,3	1514-1544	500-250	1.9	2.6		
12,4	1544-1623	250-0	1.9	3.5	53	235
13,0	2255-0001	0-1010	1.3	-	56	233
13,1	0001-0053	1000-500	1.9	4.1		
13,2	0053-0114	500-250	2.3	1.8		
13,3	0114-0137	250-0	2.2	2.0	61	229
	Time (+4)					
14,0	0149-0318	0-1032	1.3	-	81	238
14,1	0318-0336	1000-750	1.6	1.4		
14,2	0336-0355	750-500	1.9	1.7		
14,3	0355-0426	500-250	2.2	3.0		
14,4	0426-0504	250-0	2.2	3.5	76	235

(continued)

Table 7 (continued)

15,0	1358-1507	0-1006	1.3	-	86	246
15,1	1507-1536	1000-750	1.8	2.1		
15,2	1536-1600	750-500	1.9	1.7		
15,3	1600-1622	500-245	2.1	1.7		
15,4	1622-1650	245-0	1.9	1.8	80	244
16,0	0733-1014	0-1006	1.7	-	10	160
16,1	1014-1033	800-600	1.9	1.5		
16,2	1033-1052	600-400	1.6	1.4		
16,3	1052-1120	400-0	1.6	2.0	14	238
17,0	2210-2341	0-1005	1.4	-	15	221
17,1	2341-0044	1017-500	2.3	6.7		
17,2	0044-0102	500-250	2.3	1.9		
17,3	0102-0122	250-0	2.0	1.8	22	256
18,0	2155-2308	0-1007	1.4	-	74	034
18,1	2308-0056	1000-0	1.9	10.3	81	039

Table 8. Summary of MOCNESS-20 collections, Oceanus Cruise 121.

MOCNESS 20	Time (+4)	Depth (m)	Speed (knots)	Volume (10,000m ³)	Distance to Ring Center (km)	Angle from Ring Center
19,0	2315-0032	0-1027	1.1	-	300	041
19,1	0032-0049	1000-751	2.0	1.9		
19,2	0049-0106	751-503	2.2	1.9		
19,3	0106-0149	503-253	2.3	5.6		
19,4	0149-0213	253-103	2.6	2.9		
19,5	0213-0243	103-0	2.3	4.1	294	042
20,0	1131-1305	0-1291	1.1	-	272	041
20,1	1305-1330	1250-1001	1.7	2.5		
20,2	1330-1352	1001-751	1.7	2.2		
20,3	1352-1414	751-500	1.7	2.3		
20,4	1414-1432	500-251	1.8	1.9		
20,5	1432-1454	251-0	1.4	1.9	265	041
21,0	0015-0141	0-1029	1.2	-	3	353
21,1	0141-0158	1000-800	1.8	1.8		
21,2	0158-0220	800-601	2.0	2.4		
21,3	0220-0250	601-401	1.9	3.3		
21,4	0250-0334	401-54	2.0	5.0		
21,5	0334-0343	54-0	1.7	1.0	8	167
23,0	0126-0249	0-1006	1.1	-	10	112
23,1	0249-0304	1000-801	2.1	1.7		
23,2	0304-0322	801-600	2.3	2.2		
23,3	0322-0339	600-400	2.4	2.0		
23,4	0339-0354	400-151	2.5	1.5		
23,5	0354-0410	151-0	2.5	1.7	15	082
24,0	1335-1439	0-1024	1.1	-	17	126
24,1	1439-1455	1000-800	1.9	1.8		
24,2	1455-1509	800-600	1.9	1.6		
24,3	1509-1542	600-400	1.8	3.7		
24,4	1542-1544	400-382	1.8	0.2		
24,5	1544-1614	382-0	2.0	3.4	17	110
25,4	0222-0246	301-51	2.5	2.9	-	-
25,5	0246-0255	51-0	2.5	1.2	54	083
26,0	1357-1510	0-1016	1.3	-	61	088
26,1	1510-1527	1000-750	2.3	2.1		
26,2	1527-1552	750-500	2.1	2.9		
26,3	1552-1610	500-374	2.0	2.1		
26,4	1610-1626	374-251	2.3	1.9		
26,5	1626-1657	251-0	2.3	3.1	65	083

(continued)

Table 8 (continued)

27,0	1505-1629	0-1010	1.2	-	72	071
27,1	1629-1714	1001-750	2.3	5.7		
27,2	1714-1733	750-499	2.3	2.4		
27,3	1733-1751	499-301	2.3	2.2		
27,4	1751-1819	301-150	2.2	3.4		
27,5	1819-1834	150-0	2.3	1.8	73	063
28,0	0538-0713	0-1262	1.1	-	15	045
28,1	0713-0742	1250-1001	2.4	3.9		
28,2	0742-0803	1001-749	2.3	2.6		
28,3	0803-0827	749-501	2.1	2.8		
28,4	0827-0848	501-317	2.3	2.6		
28,5	0848-0926	317-0	2.3	4.7	4	356
29,0	2339-0128	0-1027	1.2	-	26	022
29,1	0128-0327	1000-0	2.1	14.5	30	003
30,0	1329-1452	0-1016	1.3	-	30	022
30,1	1452-1524	1000-755	2.4	4.3		
30,2	1524-1554	800-600	2.2	3.7		
30,3	1554-1618	600-401	2.6	3.2		
30,4	1618-1638	401-301	2.5	2.5		
30,5	1638-1711	301-0	2.6	3.9	40	012
31,0	1156-1320	0-1010	1.1	-	39	051
31,1	1320-1343	1001-800	2.2	2.9		
31,2	1343-1410	800-600	2.2	3.5		
31,3	1410-1434	600-395	2.1	2.8		
31,4	1434-1449	395-300	2.4	2.0		
31,5	1449-1523	300-0	2.4	4.5	45	044
32,0	2204-2340	0-1012	1.2	-	36	049
32,1	2340-0005	1000-727	2.2	2.8		
32,3	0005-0022	727-499	2.3	2.0		
32,4	0022-0041	499-402	2.4	2.5		
32,5	0041-0113	402-50	2.5	3.8	37	038
33,0	2332-0053	0-1013	1.4	-	127	039
33,1	0053-0156	1000-501	2.2	8.1		
33,2	0156-0212	501-401	1.8	1.8		
33,3	0212-0230	401-200	2.3	2.3		
33,4	0230-0248	200-60	2.3	2.4		
33,5	0248-0313	60-0	2.0	3.0	139	039
34,2	2110-2232	0-1015	1.3	-	347	035
34,3	2232-2314	1000-400	2.4	4.4		
34,4	2314-2338	400-80	2.2	2.7		
34,5	2338-2358	80-0	1.6	2.2	356	035

Table 9. Summary of MOCNESS-20 collections, Oceanus Cruise 125.

MOCNESS 20	Time (+4)	Depth (m)	Speed (knots)	Volume (10,000m ³)	Distance to Ring Center (km)	Angle from Ring Center
35,0	1316-1539	0-1042	1.0	-	308	035
35,1	1539-1551	992-800	2.1	1.4		
35,2	1551-1608	800-601	1.9	1.8		
35,3	1608-1633	601-402	2.2	3.0		
35,4	1633-1711	402-201	2.4	4.7		
35,5	1711-1720	201-0	2.6	1.0	318	035
36,0	2334-0248	0-1017-0	2.0	-	318	037
37,0	1355-1529	0-1082	1.4	-	23	217
37,1	1529-1714	998-0	2.1	13.0	29	211
38,0	0125-0231	0-1002	1.3	-	21	220
38,1	0231-0414	1000-0	2.1	13.2	30	222
39,1	0042-0155	0-1004	1.1	-	10	264
39,2	0155-0408	1009-0	2.1	17.0	22	255
41,0	0113-0243	0-1004	1.4	-	27	281
41,1	0243-0320	1004-750	2.0	4.7		
41,2	0320-0350	750-500	1.9	3.5		
41,3	0350-0446	500-0	2.2	7.7	29	300
42,0	0105-0228	0-1070	1.3	-	37	242
42,1	0228-0244	1000-800	2.3	2.1		
42,2	0244-0313	800-601	2.5	4.1		
42,3	0313-0339	601-383	2.5	3.4		
42,4	0339-0441	383-0	2.4	8.0	28	246
43,0	1332-1516	0-1037	1.5	-	7	323
43,1	1516-1531	994-797	2.4	2.1		
43,2	1531-1548	797-597	2.3	2.3		
43,3	1548-1607	597-399	2.2	2.4		
43,4	1617-1641	399-115	2.6	4.8		
43,5	1641-1654	115-0	2.3	1.8	8	180
44,0	0008-0156	0-1028	1.5	-	15	059
44,1	0156-0217	1001-797	2.0	2.6		
44,2	0217-0239	797-598	2.2	3.0		
44,3	0239-0402	598-0	2.4	10.8	4	042

(continued)

Table 9 (continued)

45,0	1304-1411	0-612	1.3	-	17	160
45,1	1411-1500	612-631	1.9	6.2		
45,2	1500-1559	620-631	2.2	8.1		
45,3	1559-1659	615-631	2.3	8.2		
45,5	1659-1758	615-635	1.8	8.4	33	115
46,0	2239-2312	0-101	1.6	3.6	33	116
46,1	2312-2341	101-30	2.1	3.8		
46,2	2341-0011	30-101	2.0	3.7		
46,3	0011-0134	101-29	2.3	10.7		
46,4	0134-0204	50-0	2.2	3.8	21	120
47,0	2253-0012	0-1007	1.4	-	43	340
47,1	0012-0055	1000-751	2.0	5.6		
47,2	0055-0132	751-500	2.1	5.1		
47,3	0132-0203	500-249	2.1	4.0		
47,4	0203-0242	249-0	2.5	5.4	56	334
48,0	1424-1550	0-1000	1.8	-	59	343
48,1	1550-1625	1001-748	2.3	4.9		
48,2	1625-1651	748-500	2.3	3.4		
48,3	1651-1717	500-250	2.5	3.5		
48,4	1717-1747	250-0	2.5	4.0	51	355
49,0	0102-0225	0-1006	1.6	-	270	105
49,1	0225-0251	1000-749	2.4	3.9		
49,2	0251-0321	749-500	2.4	4.5		
49,3	0321-0352	500-250	2.5	4.5		
49,4	0352-0431	250-0	2.8	6.2	258	104
50,0	1229-1343	0-1008	1.5	-	260	104
50,1	1343-1406	1001-746	2.2	3.2		
50,2	1406-1425	746-499	2.7	2.9		
50,3	1425-1454	499-250	2.8	4.1		
50,4	1454-1519	250-0	2.9	3.9	257	106
51,0	1403-1526	0-1004	1.3	-	273	081
51,1	1526-1545	1001-750	2.4	2.9		
51,2	1545-1615	750-500	2.6	4.6		
51,3	1615-1648	500-251	2.5	4.6		
51,4	1648-1711	251-0	2.7	3.4	275	078
52,0	0135-0240	0-1010	1.8	-	302	080
52,1	0240-0310	1000-750	2.3	3.9		
52,2	0310-0327	750-496	2.2	2.3		
52,3	0327-0354	496-251	2.5	3.6		
52,4	0354-0425	251-0	2.3	4.4	305	080

(continued)

Table 9 (continued)

53,0	2346-0104	0-1015	1.8	-	364	057
53,1	0104-0134	1002-751	2.4	4.5		
53,2	0134-0200	751-500	2.4	3.9		
53,3	0200-0232	500-250	2.4	4.5		
53,4	0232-0308	250-0	2.5	5.2	368	055
54,0	1235-1400	0-1015	1.5	-	415	046
54,1	1400-1426	1001-750	2.1	3.0		
54,2	1426-1456	750-500	2.0	3.3		
54,3	1456-1526	500-251	2.2	3.2		
54,4	1526-1556	251-0	2.5	3.4	424	044

Table 10. Summary of MOCNESS-20 collections, Knorr Cruise 98.

MOCNESS 20	Time (+4)	Depth (m)	Speed (knots)	Volume (10,000m ³)	Distance to Ring Center (km)	Angle from Ring Center
55,0	0111-0212	0-1011	1.6	-	97	252
55,1	0212-0226	997-797	1.6	0.9		
55,2	0226-2357	797-400	2.0	2.5		
55,4	0256-0318	400-204	2.6	2.2		
55,5	0318-0355	204-0	2.1	3.8		
56,0	0012-0131	0-1023	1.4	-	88	099
56,1	0131-0202	1006-802	2.2	3.2		
56,2	0202-0222	802-602	2.2	1.9		
56,3	0222-0242	602-401	2.3	1.9		
56,4	0242-0301	401-201	2.2	1.8		
56,5	0301-0333	201-0	2.2	3.4		
57,0	2331-0040	0-1007	1.2	-	70	099
57,1	0040-0116	1001-800	2.4	3.8		
57,2	0116-0146	800-602	2.5	3.2		
57,3	0146-0224	602-401	2.3	4.0		
57,4	0224-0256	401-203	2.0	3.2		
57,5	0256-0329	203-0	2.0	3.2		
58,0	1241-1356	0-1004	1.5	-	39	098
58,1	1356-1431	1000-800	2.4	3.8		
58,2	1431-1502	800-599	2.0	3.1		
58,3	1502-1523	599-400	2.4	2.1		
58,4	1523-1544	400-305	2.5	2.4		
58,5	1544-1627	305-40	1.8	4.0		
59,0	0056-0202	0-1008	1.2	-	150	008
59,1	0202-0242	1002-800	2.2	4.4		
59,2	0242-0308	800-599	2.3	2.9		
59,3	0308-0340	599-401	2.4	3.4		
59,4	0340-0404	401-200	2.5	2.5		
59,5	0404-0431	200-7	2.3	3.0		
60,0	1344-1445	0-1010	1.2	-	148	012
60,1	1445-1515	1000-800	2.3	3.4		
60,2	1515-1536	800-600	2.5	2.3		
60,3	1536-1604	600-399	2.6	2.9		
60,4	1604-1623	399-302	2.8	2.2		
60,5	1623-1658	302-10	2.9	3.8		

(continued)

Table 10 (continued)

61,0	0019-0119	0-1005	1.3	-	55	025
61,1	0119-0157	1002-800	1.9	3.8		
61,2	0157-0223	800-600	2.0	2.6		
61,3	0223-0250	600-400	2.1	2.7		
61,4	0250-0321	400-200	2.2	3.3		
61,5	0321-0354	200-12	2.5	4.1		
62,0	1121-1223	0-1004	1.1	-	32	052
62,1	1223-1252	999-802	1.8	2.8		
62,2	1252-1326	802-602	2.2	3.7		
62,3	1326-1416	602-400	1.9	4.9		
62,4	1416-1448	400-301	2.0	3.4		
62,5	1448-1533	301-5	2.1	4.8		
63,0	2313-0020	0-1015	1.0	-	32	038
63,1	0020-0054	1000-800	1.6	3.2		
63,2	0054-0120	800-600	1.9	2.6		
63,3	0120-0142	600-402	2.0	2.1		
63,4	0142-0225	402-370	2.1	4.6		
63,5	0225-0325	370-5	2.1	6.6		
64,0	1337-1445	0-1015	1.1	-	8	041
64,1	1445-1512	999-800	1.7	2.6		
64,2	1512-1533	800-600	1.9	2.1		
64,3	1533-1548	600-502	1.8	1.4		
64,4	1548-1604	502-400	1.9	1.6		
64,5	1604-1647	400-3	2.3	4.8		
65,0	0022-0155	0-1020	1.3	-		
65,1	0155-0243	1014-800	1.9	5.2		
65,2	0243-0311	800-599	1.6	2.5		
65,3	0311-0335	599-400	1.7	2.2		
65,4	0335-0405	400-199	1.7	2.9		
65,5	0405-0428	199-6	1.6	2.3		
66,0	1307-1415	0-1018	1.0	-		
66,1	1415-1441	1000-799	1.8	2.6		
66,2	1441-1502	799-601	1.9	2.1		
66,3	1502-1530	601-400	1.8	2.7		
66,4	1530-1544	400-299	1.9	1.4		
66,5	1544-1628	299-7	1.9	4.8		

Table 11. Fishes collected with the MOCNESS-20 during the warm-core Gulf Stream rings cruises. (* Number from up nets only)

	Number of specimens				
	A 110	Oc 118	Oc 121	Oc 125	Kn 98
<i>Eurypharynx pelecanoides</i> *	8	3	12	15	11
<i>Saccopharynx ampullaceus</i> *					2
<i>Derichthys serpentinus</i> *	4	10	22	22	6
<i>Nessorhamphus ingolfianus</i> *	3		3	9	1
<i>Serrivomer beanii</i> *	16	6	24	49	28
<i>Serrivomer brevidentatus</i> *	1	2		3	3
<i>Nemichthys curvirostris</i> *	1				
<i>Nemichthys scolopaceus</i> *	1	4	16	27	14
<i>Bathylagus</i> spp.*	16	26	26	27	14
<i>Dolichopteryx binocularis</i>			1		
<i>Opisthoproctus grimaldii</i>					1
<i>Rhynchohyalis natalensis</i>					1
<i>Bonapartia pedaliota</i>	51	44	34	101	180
<i>Cyclothone acclijnidens</i> *	20	21	44	59	28
<i>Cyclothone alba</i> *	199	161	298	448	324
<i>Cyclothone braueri</i> *	3387	4373	8435	7707	12108
<i>Cyclothone microdon</i> *	5052	6413	9178	15272	6014
<i>Cyclothone pallida</i> *	158	470	560	1024	914
<i>Cyclothone pseudopallida</i> *	184	263	371	491	388
<i>Diplophos taenia</i>	2		2		
<i>Gonostoma atlanticum</i>	3			7	4
<i>Gonostoma bathyphilum</i>		2	3	3	2
<i>Gonostoma elongatum</i>	63	46	67	908	207
<i>Margrethia obtusirostra</i>	6	1	2	9	38
<i>Ichthyococcus ovatus</i>	24	1	5	40	109
<i>Pollichthys mauii</i>	1	15	33	94	111
<i>Vinciguerrria attenuata</i>	34	6	214	176	185
<i>Vinciguerrria nimbaria</i>	4	7	24	60	16
<i>Vinciguerrria poweriae</i>	21	14	192	647	49
<i>Yarella blackfordi</i>				1	
<i>Argyropelecus aculeatus</i>	47	92	61	62	57
<i>Argyropelecus affinis</i>		1	1	1	
<i>Argyropelecus hemigymnus</i>	90	169	220	84	233
<i>Argyropelecus sladeni</i>			1		

(continued)

Table 11 (continued)

<i>Maurolicus muelleri</i>	2	22	131	55	10
<i>Polyipnus asteroides</i>	5	1	2	5	16
<i>Sternoptyx diaphana</i>	166	186	119	590	586
<i>Sternoptyx pseudobscura</i>			5	2	2
<i>Valenciennellus tripunctulatus</i>	36	86	178	132	113
<i>Aristostomias grimaldii</i>		1			3
<i>Aristostomias lunifer</i>				1	
<i>Aristostomias polydactylus</i>		1		1	
<i>Aristostomias tittmanni</i>	1		2		1
<i>Astronesthes gemmifer</i>		1	2		
<i>Astronesthes macropogon</i>		2			17
<i>Astronesthes micropogon</i>	1			3	1
<i>Astronesthes neopogon</i>		1	1		
<i>Astronesthes niger</i>	1			6	2
<i>Astronesthes similis</i>	3				3
<i>Bathophilus altipinnis</i>				1	
<i>Bathophilus brevis</i>				1	
<i>Bathophilus digitatus</i>	1				
<i>Bathophilus longipinnis</i>				1	3
<i>Bathophilus pawneeii</i>	2		1	2	7
<i>Bathophilus vaillanti</i>	1		3	2	2
<i>Borostomias antarcticus</i>			1		
<i>Chauliodus danae</i> *	19	10	98	33	37
<i>Chauliodus sloani</i> *	87	23	621	303	126
<i>Chirostomias pliopterus</i>			6	5	
<i>Echiostoma barbatum</i>		1	1		13
<i>Eustomias bibulbosus</i>	1				1
<i>Eustomias en barbatus</i>			1	1	
<i>Eustomias filifer</i>				1	
<i>Eustomias lipochirus</i>	1		1		
<i>Eustomias macronema</i>				1	
<i>Eustomias obscurus</i>				1	
<i>Eustomias schiffi</i>		1		3	1
<i>Eustomias schmidti</i>				2	2
<i>Eustomias sp. nov.</i>		2			
<i>Flagellostomias boureei</i>	1	1	1		3
<i>Grammatostomias circularis</i>				1	1
<i>Grammatostomias dentatus</i>					1
<i>Grammatostomias flagellibarba</i>					1
<i>Idiacanthus fasciola</i>	13	16	8	19	13
<i>Leptostomias sp.</i>			3	2	1
<i>Macrostomias longibarbatu</i> *			1		3
<i>Malacosteus niger</i>	7	13	5	9	13
<i>Melanostomias bartonbeani</i>	3	2	2	18	13
<i>Melanostomias biseriatus</i>					12
<i>Melanostomias melanopogon</i>				1	1
<i>Melanostomias sp. nov.</i>					1
<i>Melanostomias tentaculatus</i>			1	8	3
<i>Melanostomias valdiviae</i>				1	

(continued)

Table 11 (continued)

<i>Neonesthes capensis</i>	3		1		1
<i>Pachystomias microdon</i>					2
<i>Photonectes braueri</i>	1				1
<i>Photonectes margarita</i>	10		12	3	2
<i>Photonectes mirabilis</i>					5
<i>Photonectes parvimanus</i>					1
<i>Photostomias guernei</i>	5	10	14	11	18
<i>Photostomias megistus</i>		3	5	4	15
<i>Stomias affinis</i> *	6	1		1	3
<i>Stomias boa ferox</i> *	26	16	365	65	12
<i>Stomias brevibarbus</i> *	1	2		1	3
<i>Photostylus pycnopterus</i>		2			
<i>Xenodermichthys copei</i>		1			1
<i>Searsia koefoedi</i>			1		
<i>Barbantus</i> sp.				1	
<i>Holtbyrnia</i> sp.			1	1	
unidentified searsiids	21		25	21	19
<i>Scopelosaurus argenteus</i>		3		29	16
<i>Scopelosaurus mauli</i>	1	2	9	1	7
<i>Scopelosaurus smithii</i>	1				
<i>Alepisaurus</i> spp.	8			2	16
<i>Omosudis lowei</i>			3		3
<i>Rosenblattichthys hubbsi</i>				1	
<i>Scopelarchoides danae</i>				3	3
<i>Scopelarchus analis</i>	4	2	3	71	39
<i>Scopelarchus michaelisarsii</i>	1		1	10	1
<i>Coccorella atlantica</i>	1	1	1	13	8
<i>Evermannella balbo</i>			1	2	
<i>Evermannella indica</i>		1		34	36
<i>Sudis atrox</i>	1			6	2
<i>Sudis hyalina</i>	1		1		4
unidentified paralepidids	26	54	100	115	111
<i>Benthoosema glaciale</i>	577	289	13966	3581	506
<i>Benthoosema suborbitale</i>	36	34	27	75	72
<i>Bolinichthys indicus</i>	87	87	49	134	396
<i>Bolinichthys photothorax</i>		1	4	2	
<i>Bolinichthys supralateralis</i>	9	3	6	24	64
<i>Centrobranchus nigroocellatus</i>	1	3	3	8	5
<i>Ceratoscopelus maderensis</i>	424	1	232	9808	960
<i>Ceratoscopelus warmingii</i>	157	29	75	468	424
<i>Diaphus brachycephalus</i>				2	5

(continued)

Table 11 (continued)

<i>Diaphus dumerilii</i>	42	64	51	170	33
<i>Diaphus effulgens</i>		3	5	20	15
<i>Diaphus fragilis</i>				1	4
<i>Diaphus garmani</i>		1		1	
<i>Diaphus lucidus</i>	2	2	7	1	1
<i>Diaphus luetkeni</i>	2				1
<i>Diaphus metopoclampus</i>	42	22	16	8	67
<i>Diaphus mollis</i>	11	13	30	76	71
<i>Diaphus perspicillatus</i>	5	3	2	11	23
<i>Diaphus problematicus</i>				1	1
<i>Diaphus rafinesquii</i>	4	211	262	47	5
<i>Diaphus splendidus</i>	5	1	1	8	67
<i>Diaphus termophilus</i>	2	1	1		1
<i>Diogenichthys atlanticus</i>	95	374	345	345	337
<i>Gonichthys cocco</i>	20	6	14	25	10
<i>Hygophum benoiti</i>	136	4	26	281	303
<i>Hygophum hygomii</i>	25	309	126	123	2
<i>Hygophum macrochir</i>	2		1	1	
<i>Hygophum reinhardtii</i>	3	4	2	11	13
<i>Hygophum taaningi</i>	13	6	7	25	67
<i>Lampadena anomala</i>	1	1	4	1	
<i>Lampadena luminosa</i>	2		4	7	5
<i>Lampadena speculigera</i>	5	26	49	10	5
<i>Lampadena urophaos</i>	1	1	2	6	14
<i>Lampanyctus alatus</i>	32	15	80	331	24
<i>Lampanyctus ater</i>	6	11	6	5	16
<i>Lampanyctus crocodilus</i>	78	2	115	71	23
<i>Lampanyctus cuprarius</i>	24	92	50	48	165
<i>Lampanyctus festivus</i>	9	1		26	19
<i>Lampanyctus intricarius</i>	1				3
<i>Lampanyctus lineatus</i>	2	3	4	6	22
<i>Lampanyctus macdonaldi</i>	3	5	10	9	1
<i>Lampanyctus nobilis</i>	1	1		1	
<i>Lampanyctus photonotus</i>	29	13	16	16	125
<i>Lampanyctus pusillus</i>	88	36	181	427	234
<i>Lampanyctus tenuiformis</i>				1	
<i>Lepidophanes gaussi</i>	8	2	12	98	104
<i>Lepidophanes guentheri</i>	57	33	33	84	114
<i>Lobianchia dofleini</i>	221	8	590	1139	83
<i>Lobianchia gemellarii</i>	8	21	26	17	5
<i>Loweina rara</i>	1	1	2	18	7
<i>Myctophum affine</i>	175	27	41	127	21
<i>Myctophum asperum</i>		1		1	
<i>Myctophum nitidulum</i>	8	1	31	26	13
<i>Myctophum obtusirostre</i>	8	1		3	
<i>Myctophum punctatum</i>		1	491	17	
<i>Myctophum selenops</i>	3			137	6
<i>Notolychnus valdiviae</i>	32	88	344	275	599
<i>Notoscopelus caudispinosus</i>		12	11		

(continued)

Table 11 (continued)

<i>Notoscopelus resplendens</i>	16	9	69	134	4
<i>Protomyctophum arcticum</i>	5	1		7	2
<i>Symbolophorus rufinus</i>				2	1
<i>Symbolophorus veranyi</i>	1	6	69	24	9
<i>Taaningichthys bathyphilus</i>	5	17	8	14	12
<i>Taaningichthys minimus</i>		2		1	
<i>Neoscopelus macrolepidotus</i>				1	
<i>Neoscopelus microchir</i>					1
<i>Ataxolepis apus</i>			1		
<i>Rondeletia loricata</i>	1	1		1	
<i>Barbourisia rufa</i>		1			
<i>Rosaura indica</i>				3	
<i>Chaunax</i> sp.			1		1
<i>Caulophryne jordani</i>				1	
<i>Caulophryne</i> spp.					1
<i>Melanocetus</i> spp.	4	5	7	10	5
<i>Himantolophus albinares?</i>					1
<i>Himantolophus</i> spp.	1			3	
<i>Chaenophryne longiceps</i>		1	1		1
<i>Chaenophryne</i> sp.			1		
<i>Danaphryne nigrifilis</i>					1
<i>Dolopichthys</i> sp. nov.					1
<i>Dolopichthys</i> sp.				3	3
<i>Leptacanthichthys gracilispinis</i>	1			1	
<i>Lophodolus acanthognathus</i>			2	2	2
<i>Microlophichthys microlophus</i>		1	1	1	
<i>Oneirodes macrosteus</i>	2			3	2
<i>Oneirodes eschrishtii</i>				1	
<i>Oneirodes</i> sp.	1				2
<i>Spiniphryne gladisfenae</i>					1
<i>Ceratias holboelli</i>					1
<i>Ceratias uranoscopus</i>				1	
<i>Cryptopsaras couesi</i>	1	1	5	13	19
<i>Gigantactis gibbsi</i>				1	
<i>Gigantactis vanhoeffeni</i>			1	1	1
<i>Gigantactis</i> sp. nov.				1	1
<i>Gigantactis</i> sp.					2

(continued)

Table 11 (continued)

<i>Neoceratias spinifer</i>					1
<i>Haplophryne mollis</i>					1
<i>Linophryne arborifera</i>			1		
<i>Linophryne</i> spp.				1	4
<i>Melanonus zugmayeri</i>	1	4	2	3	
<i>Bregmaceros</i> spp.*	11	9	12	28	36
<i>Melamphaes longivelis</i> *					1
<i>Melamphaes pumilus</i> *	71	28	19	363	496
<i>Melamphaes suborbitalis</i> *	3		6	1	1
<i>Melamphaes ebelingi</i> *	1	1	2		
<i>Poromitra capito</i> *	5	3	5	4	6
<i>Poromitra megalops</i> *		1		1	1
<i>Scopeloberyx opisthopterus</i> *	8	47	41	40	42
<i>Scopeloberyx robustus</i> *	2	3	5	6	24
<i>Scopelogadus beanii</i> *	4	10	91	17	24
<i>Scopelogadus mizolepis</i> *	10	1	7	17	6
<i>Diretmus argenteus</i>					1
<i>Anoplogaster cornuta</i>		1	4	7	6
<i>Howella brodei</i>	16	11	11	17	14
<i>Caristius</i> sp.				2	2
<i>Chiasmodon niger</i>	4	37	16	10	3
<i>Dysalotus alcocki</i>				1	1
<i>Kali normani</i>		1			
<i>Pseudoscopelus</i> sp.				1	1

47,773 28,156 12,549 14,830 39,322

Table 12. Depths (m) at which nets were closed and opened at MOCNESS-20 stations. Nighttime collections are underlined; daytime collections, not. At stations 9, 18, 29, 37, 38, and 39, one net fished from 1000 m to the surface.

	Oceanus 118 April		Oceanus 121 June				Oceanus 125 August					Knorr 98 Sept-Oct				A2 110 Sept-Oct			
	<u>8</u>	<u>9</u>	<u>19</u>	<u>20</u>	<u>33</u>	<u>34</u>	<u>35</u>	<u>47</u>	<u>48</u>	<u>53</u>	<u>54</u>	<u>59</u>	<u>60</u>	<u>65</u>	<u>66</u>	<u>4</u>	<u>5</u>		
Slope Water	<u>250</u> <u>500</u> <u>750</u> <u>1000</u>	<u>250</u> <u>500</u> <u>750</u> <u>1000</u>	<u>0</u> <u>103</u> <u>253</u> <u>503</u> <u>751</u> <u>1000</u>	<u>0</u> <u>251</u> <u>500</u> <u>751</u> <u>1001</u> <u>1250</u>	<u>0</u> <u>60</u> <u>200</u> <u>401</u> <u>501</u> <u>1000</u>	<u>0</u> <u>80</u> <u>400</u> <u>1000</u>	<u>0</u> <u>201</u> <u>402</u> <u>601</u> <u>800</u> <u>992</u>	<u>0</u> <u>249</u> <u>500</u> <u>751</u> <u>1000</u>	<u>0</u> <u>250</u> <u>500</u> <u>748</u> <u>1001</u>	<u>0</u> <u>250</u> <u>500</u> <u>751</u> <u>1002</u>	<u>0</u> <u>251</u> <u>500</u> <u>750</u> <u>1001</u>	<u>7</u> <u>200</u> <u>401</u> <u>599</u> <u>800</u> <u>1002</u>	<u>10</u> <u>302</u> <u>399</u> <u>600</u> <u>800</u> <u>1000</u>	<u>6</u> <u>199</u> <u>400</u> <u>599</u> <u>800</u> <u>1014</u>	<u>7</u> <u>299</u> <u>400</u> <u>601</u> <u>799</u> <u>1000</u>	<u>0</u> <u>250</u> <u>500</u> <u>750</u> <u>1000</u>	<u>0</u> <u>250</u> <u>500</u> <u>750</u> <u>1000</u>		
High Velocity Region	<u>0</u> <u>250</u> <u>500</u> <u>750</u> <u>1000</u>	<u>0</u> <u>250</u> <u>500</u> <u>1000</u>	<u>0</u> <u>250</u> <u>500</u> <u>750</u> <u>1000</u>	<u>0</u> <u>245</u> <u>500</u> <u>750</u> <u>1000</u>	<u>0</u> <u>251</u> <u>374</u> <u>500</u> <u>750</u> <u>1001</u>	<u>0</u> <u>150</u> <u>301</u> <u>401</u> <u>499</u> <u>750</u> <u>800</u> <u>1000</u>	<u>0</u> <u>301</u> <u>300</u> <u>402</u> <u>500</u> <u>727</u> <u>800</u> <u>1001</u>	<u>0</u> <u>300</u> <u>395</u> <u>499</u> <u>750</u> <u>1004</u> <u>1000</u>	<u>0</u> <u>115</u> <u>383</u> <u>601</u> <u>797</u> <u>994</u>	<u>0</u> <u>598</u> <u>797</u> <u>1001</u>	<u>0</u> <u>204</u> <u>400</u> <u>797</u> <u>997</u>	<u>0</u> <u>204</u> <u>400</u> <u>797</u> <u>997</u>	<u>0</u> <u>204</u> <u>400</u> <u>797</u> <u>997</u>	<u>0</u> <u>204</u> <u>400</u> <u>797</u> <u>997</u>	<u>0</u> <u>250</u> <u>500</u> <u>750</u> <u>1000</u>	<u>0</u> <u>250</u> <u>500</u> <u>750</u> <u>1000</u>			
Ring Core	<u>0</u> <u>250</u> <u>500</u> <u>750</u> <u>1000</u>	<u>0</u> <u>250</u> <u>500</u> <u>750</u> <u>1000</u>	<u>0</u> <u>400</u> <u>600</u> <u>800</u>	<u>0</u> <u>250</u> <u>500</u> <u>1017</u>	<u>0</u> <u>54</u> <u>401</u> <u>601</u> <u>800</u> <u>1000</u>	<u>0</u> <u>151</u> <u>400</u> <u>600</u> <u>801</u> <u>1000</u>	<u>0</u> <u>382</u> <u>400</u> <u>600</u> <u>800</u> <u>1000</u>	<u>0</u> <u>317</u> <u>501</u> <u>749</u> <u>1001</u> <u>1250</u>				<u>56</u> <u>0</u> <u>201</u> <u>401</u> <u>602</u> <u>802</u> <u>1006</u>	<u>57</u> <u>0</u> <u>203</u> <u>401</u> <u>602</u> <u>800</u> <u>1001</u>	<u>58</u> <u>40</u> <u>305</u> <u>400</u> <u>599</u> <u>800</u> <u>1000</u>	<u>61</u> <u>12</u> <u>200</u> <u>400</u> <u>600</u> <u>800</u> <u>1002</u>	<u>62</u> <u>5</u> <u>301</u> <u>400</u> <u>602</u> <u>802</u> <u>999</u>	<u>63</u> <u>5</u> <u>370</u> <u>402</u> <u>600</u> <u>800</u> <u>1000</u>	<u>64</u> <u>3</u> <u>400</u> <u>502</u> <u>600</u> <u>800</u> <u>999</u>	<u>1</u> <u>0</u> <u>250</u> <u>500</u> <u>750</u> <u>1000</u>
Sargasso Sea & Gulf Stream							<u>49</u> <u>0</u> <u>250</u> <u>500</u> <u>749</u> <u>1000</u>	<u>50</u> <u>0</u> <u>250</u> <u>499</u> <u>746</u> <u>1001</u>	<u>51</u> <u>0</u> <u>251</u> <u>500</u> <u>750</u> <u>1001</u>	<u>52</u> <u>0</u> <u>251</u> <u>496</u> <u>750</u> <u>1000</u>									

Table 34. Volume of *Aristostomias grimaldii* (ml/10,000 m³).

	Oceanus 118 April				Oceanus 121 June				Oceanus 125 August					Knorr 98 Sept-Oct				A2 110 Sept-Oct			
	8	9			19	20	33	34	35	47	48	53	54	59	60	65	66	4	5		
Slope Water	0	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0	0			0	0	0	0	0	0	0	0	0	0	0	33.33	0	0	0		
					0	0	0		0					0	0	0					
High Velocity Region	12	13	14	15	26	27	30	31	32	41	42	43	44	55				2	3		
	0	0	0	0	0	0	0	0	0	0	0	0	0	0				0	0		
	0	0	0	0	0	0	0	0	0	0	0	0	0	0				0	0		
	0	0	0	0	0	0	0	0	0	0	0	0	0	0				0	0		
					-	0	0	0				0						0	0		
Ring Core	10	11	16	17	21	23	24	28						56	57	58	61	62	63	64	1
	0	0	0	0	0	0	0	0						0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0						0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0						0	0	0	0	0	0	0	0
					0	0	0	0						0	0	14.47	0	0	0	0	0
Sargasso Sea & Gulf Stream									49	50	51	52									
									0	0	0	0									
									0	0	0	0									
									0	0	0	0									
									0	0	0	0									
Slope Water	8	9	18		19	20	33	34	35	47	48	53	54	59	60	65	66	4	5	6	
	-	0	0		0	0	0	0	0	0	0	0	0	0	0	0	6.67	0	0	0	
High Velocity Region	12	13	14	15	27	29	30	31	32	41	42	43	44	55				2	3		
	0	0	0	0	0	0	0	0	-	0	0	0	0	0				0	0		
Ring Core	10	11	16	17	21	23	24	28						56	57	58	61	62	63	64	1
	0	0	-	0	0	0	0	0						0	0	2.89	0	0	0	0	0
SS & GS									49	50	51	52									
									0	0	0	0									

Table 39. Volume of *Bolinichthys indicus* (ml/10,000 m³).

	Oceanus 118 April				Oceanus 121 June				Oceanus 125 August					Knorr 98 Sept-Oct				A2 110 Sept-Oct	
	8	9			19	20	33	34	35	47	48	53	54	59	60	65	66	4	5
Slope Water	0	0.12			0.02	0	0.03	0	0	0	0	0	0	0.07	0	0.04	0	0	0
	0	0			0	0	0	0	0	0	0	0	0	0	0.14	0	0.04	0.09	0
	0	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
High Velocity Region	0	0.10	0.43	0.06	0	0	0	0	0.36	0.06	0	0.46		0.39				0.02	0
	0	0	0	0.35	0	0	0	0	0	0	0	0		0				0	0.08
	0.13	0	0	0	0	0.41	0.09	0	0	0	0	0		0				0	0
	0		0	0	0	0	0.22	0.11	0	0	0	0		0				0	0
					-	0	0	0			0								
Ring Core	0.12	0	0	1.22	0.40	0.29	0	0						0.35	0.97	0	0.85	0	0.14
	0	0	0.79	0.42	0.44	0	0	0						0	0	0	0	0	0
	0	0	2.33	0.04	0	0	0.62	2.14						0	0.03	0.05	0.04	0	0
	0	0			0	0	0.25	0						0	0	0.77	0.04	0.43	0.04
					0	0	0	0						0	0	0.03	0	0	0
Sargasso Sea & Gulf Stream									0.49	0.50	0.51	0.52							
									0.26	0	0	0.50							
									0	0	0	0							
									0	0	1.63	0							
									0	0	0	0							
Slope Water	8	9	18		19	20	33	34	35	47	48	53	54	59	60	65	66	4	5
	-	0.03	0		0.01	0	0.01	0	0	0	0	0	0	0.01	0.03	0.01	0.01	0.02	0
High Velocity Region	12	13	14	15	27	29	30	31	32	41	42	43	44	55				2	3
	0.03	0.03	0.11	0.09	0.08	0.02	0.06	0.02	-	0.18	0.02	0	0.28	0.08				0.01	0.02
Ring Core	10	11	16	17	21	23	24	28		37	38	39		56	57	58	61	62	63
	0.03	0	-	0.43	0.17	0.04	0.17	0.54		0.06	0	0		0.07	0.20	0.17	0.19	0.09	0.06
SS & GS										49	50	51	52						
										0.07	0	0.41	0.13						

Table 49. Abundance of *Chauliodus sloani* (specimens/10,000 m³).

	Oceanus 118 April				Oceanus 121 June				Oceanus 125 August				Knorr 98 Sept-Oct				A2 110 Sept-Oct		
	8	9			19	20	33	34	35	47	48	53	54	59	60	65	66	4	5
Slope Water	<u>0.6</u>	1.8			<u>0</u>	1.1	<u>0</u>	<u>0.9</u>	0	<u>0.2</u>	0	<u>0.2</u>	0	<u>0</u>	0	<u>1.3</u>	0	0	<u>1.0</u>
	0	0			0	1.3	0	<u>0.9</u>	52.0	<u>0.4</u>	0.3	<u>0.8</u>	5.5	<u>0</u>	1.4	<u>1.8</u>	3.3	1.7	<u>1.1</u>
	0	0			<u>0.5</u>	0.5	0		1.1	0	0.2	0	0	0	0.4	<u>0.4</u>	0	0.9	<u>1.3</u>
					0	0	<u>0.3</u>		0					0	0.3	<u>0.2</u>	0.4	0	0
High Velocity Region	<u>1.2</u>	<u>0.6</u>	<u>0.7</u>	1.2	0	0	0	<u>0.3</u>	0	0	0	<u>0.5</u>		<u>0</u>				<u>0.8</u>	<u>0</u>
	0	<u>0.7</u>	<u>0.6</u>	0	1.9	1.4	5.9	1.1	<u>0.3</u>	<u>2.9</u>	0	<u>0.3</u>		<u>0</u>				<u>0.7</u>	3.2
	0		0	0	1.7	0.4	0	0.3	<u>2.5</u>	<u>0.7</u>	1.7	0		<u>2.8</u>				<u>1.3</u>	1.1
					-	0	0	0	0	0	0	0		0				0	0
Ring Core	<u>0.4</u>	0	0	0	<u>1.0</u>	<u>4.1</u>	5.9	0.4					<u>0.6</u>	<u>0</u>	0	<u>0.5</u>	0	<u>0.2</u>	0
	0	0	0.7	0	<u>0.8</u>	<u>0.7</u>	0	3.1					0	0	0	0	0	0	<u>1.6</u>
	0	0	0	<u>0.2</u>	<u>62.4</u>	<u>20.0</u>	17.8	52.9					<u>1.6</u>	<u>1.3</u>	3.3	0	1.4	<u>1.4</u>	2.1
	0	0.4			<u>8.3</u>	<u>8.6</u>	3.1	0					<u>2.6</u>	<u>2.5</u>	2.9	<u>2.3</u>	2.4	<u>1.5</u>	5.7
					0	0	0	0					0	0	0	<u>0.5</u>	0.7	0	0.4
Sargasso Sea & Gulf Stream									<u>49</u>	<u>50</u>	<u>51</u>	<u>52</u>							
									<u>0.8</u>	0	0	<u>0.7</u>							
									<u>0.2</u>	0.2	0	<u>0.8</u>							
									<u>2.0</u>	1.4	3.3	<u>3.9</u>							
									<u>1.5</u>	1.3	0	<u>0.3</u>							
Slope Water	<u>8</u>	<u>9</u>	<u>18</u>		<u>19</u>	<u>20</u>	<u>33</u>	<u>34</u>	<u>35</u>	<u>47</u>	<u>48</u>	<u>53</u>	<u>54</u>	<u>59</u>	<u>60</u>	<u>65</u>	<u>66</u>	<u>4</u>	<u>5</u>
	-	0.4	0.3		0.1	0.7	0.1	0.6	10.7	0.2	0.1	0.2	1.9	0.2	0.4	0.7	0.8	0.7	0.8
High Velocity Region	<u>12</u>	<u>13</u>	<u>14</u>	<u>15</u>	<u>27</u>	<u>29</u>	<u>30</u>	<u>31</u>	<u>41</u>	<u>42</u>	<u>43</u>	<u>44</u>		<u>55</u>				<u>2</u>	<u>3</u>
	0.3	0.5	0.3	0.3	0.4	1.0	1.2	0.3	0.1	0.8	0.3	0.3		1.1				0.7	1.1
Ring Core	<u>10</u>	<u>11</u>	<u>16</u>	<u>17</u>	<u>21</u>	<u>23</u>	<u>24</u>	<u>28</u>	<u>37</u>	<u>38</u>	<u>39</u>		<u>56</u>	<u>57</u>	<u>58</u>	<u>61</u>	<u>62</u>	<u>63</u>	<u>64</u>
	0.1	0.1	-	0.1	14.5	6.5	6.4	13.9	0.2	0.5	0.9		1.0	0.8	1.3	0.7	0.9	0.7	1.4
SS & GS									<u>49</u>	<u>50</u>	<u>51</u>	<u>52</u>							
									1.1	0.7	0.8	1.4							

Table 70. Volume of *Diaphus rafinesquii* (ml/10,000 m³).

	Oceanus 118 April				Oceanus 121 June				Oceanus 125 August					Knorr 98 Sept-Oct				A2 110 Sept-Oct	
	8	9			19	20	33	34	35	47	48	53	54	59	60	65	66	4	5
Slope Water	0	0			0.29	0	0	0	0	0	0	0.08	0	0.50	0	1.43	0	0	0
	0	0			0	0	0	0	0	0	0	0	0	0	0.23	0	0	0	0
	0	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
High Velocity Region	0	0.05	0.20	0	0	0	0	1.84	0.19	0	0	0.39		0			2	3	
	0.27	0	0	0	0	0.18	1.92	0	2.20	0	0	0		0			0	0	
	0.08	0	0	0	3.81	0	1.56	5.71	0	0	0	0		0			0	2.70	
	0	0	0	0	-	0	0	0	0	0	0	0		0			0	0	
Ring Core	0.04	0	0	0.28	0	9.41	0	0					56	57	58	61	62	63	64
	0	0	0	0	1.50	0.80	0	10.00					0	0	0	0	0	0	0
	0	0	0	0	1.91	4.25	7.57	0					0	1.34	0	0	0	0.98	0
	0	0			0	0	0	0					0	0	0	0	0	0	0
					0	0	0	0					0	0	0	0	1.62	0	0
					0	0	0	0					0	0	0	0	0	0	0
Sargasso Sea & Gulf Stream									49	50	51	52							
									0	0	0	0							
									1.44	0	0	0							
									0	0	1.24	0							
									0	0	0	0							
Slope Water	8	9	18		19	20	33	34	35	47	48	53	54	59	60	65	66	4	5
	-	0	0		0.03	0	0	0	0	0	0	0.02	0	0.10	0.02	0.29	0	0	0
High Velocity Region	12	13	14	15	27	29	30	31	32	41	42	43	44	55				2	3
	0.09	0.01	0.05	0	0.03	1.59	0.50	1.14	-	0.10	0	0	0.23	0				0	0.68
Ring Core	10	11	16	17	21	23	24	28						56	57	58	61	62	63
	0.01	0	-	0.07	0.91	2.46	1.51	1.80						0	0.27	0	0	0.32	0.03
									37	38	39			0	0	0	0	0	0
									0.42	0	0.50			0	0	0	0	0	0
SS & GS									49	50	51	52							
									0.36	0	0.31	0							

Table 72. Volume of *Eurypharynx pelecyanoides* (ml/10,000 m³).

	Oceanus 118 April				Oceanus 121 June				Oceanus 125 August					Knorr 98 Sept-Oct				A2 110 Sept-Oct	
	8	9			19	20	33	34	35	47	48	53	54	59	60	65	66	4	5
Slope Water	0	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.09	0			0	3.64	0	0	0.28	0.18	0.16	0.24	4.33	0	0	0	0	0	0.28
					0	2.80	0.86		0					1.34	0.15	1.44	2.31	5.29	1.54
High Velocity Region	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0.49	0	0	0	0	0.05	0	0.43	0	0	1.15	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	1.74	0	0.95	0	0	0	0	0	0	0	0	0
					-	2.28	0.05	0.52			0			0				12.50	6.54
Ring Core	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
					0	0	0	0	0	0.03	0	0.05	0	0.16	0.12				
Sargasso Sea & Gulf Stream									0	0	0	0							
									0	0	0	0							
									0	0	0	0							
									0	0	0	0.06							
									0	0	0	0.06	1.08	0.27	0.03	0.29	0.46		
Slope Water	-	0	0		0	0.91	0.43	0	0.06	0.05	0.04	0.06	1.08	0.27	0.03	0.29	0.46	1.32	0.46
High Velocity Region	0	0.25	0	0	0.57	0	0.01	0.11	0.11	0.19	0	0.23	0	0	0	0	0	3.13	1.64
Ring Core	0	0	-	0	0	0	0	0	0	0.04	0	0	0	0.01	0	0.01	0	0.03	0.02
SS & GS									0	0	0	0							
									0	0	0	0.02							

Table 80. Abundance of *Lampadena speculigera* (specimens/10,000 m³).

	Oceanus 118 April				Oceanus 121 June				Oceanus 125 August					Knorr 98 Sept-Oct				A2 110 Sept-Oct	
	8	9			19	20	33	34	35	47	48	53	54	59	60	65	66	4	5
Slope Water	<u>0</u>	<u>0</u>			<u>0.2</u>	<u>0</u>	<u>0.3</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
	<u>0</u>	<u>0</u>			<u>0</u>	<u>0</u>	<u>0</u>	<u>0.2</u>	<u>0</u>	<u>0.2</u>	<u>0</u>	<u>0.3</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
	<u>0</u>	<u>0</u>			<u>0</u>	<u>0</u>	<u>0</u>		<u>0</u>	<u>0</u>	<u>0.2</u>	<u>0</u>	<u>0</u>	<u>0.3</u>	<u>0</u>	<u>0</u>	<u>0.5</u>	<u>0.3</u>	<u>0</u>
					<u>0</u>	<u>0</u>	<u>0</u>		<u>0</u>				<u>0.2</u>	<u>0</u>	<u>0</u>	<u>0</u>			<u>0</u>
High Velocity Region	<u>0</u>	<u>0.5</u>	<u>0.6</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0.5</u>	<u>0</u>	<u>0.1</u>	<u>0</u>	<u>0</u>		<u>0</u>				<u>0</u>	<u>0</u>
	<u>0</u>	<u>0.6</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		<u>0</u>				<u>0</u>	<u>0</u>
	<u>0.8</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0.5</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		<u>0</u>				<u>0.7</u>	<u>0</u>
	<u>0</u>				<u>0.7</u>	<u>0</u>	<u>0.5</u>	<u>0.9</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		<u>0</u>				<u>0</u>	<u>0</u>
					-	<u>0</u>	<u>0.2</u>	<u>0</u>			<u>0</u>	<u>0</u>		<u>0</u>				<u>0</u>	<u>0</u>
Ring Core	<u>0</u>	<u>0</u>	<u>0</u>	<u>1.7</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>					<u>56</u>	<u>57</u>	<u>58</u>	<u>61</u>	<u>62</u>	<u>63</u>	<u>64</u>
	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0.4</u>	<u>1.3</u>	<u>0</u>	<u>0</u>					<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
	<u>0</u>	<u>0.6</u>	<u>2.0</u>	<u>0.2</u>	<u>0.3</u>	<u>0</u>	<u>0</u>	<u>0.7</u>					<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
	<u>0</u>	<u>0</u>			<u>1.3</u>	<u>0.5</u>	<u>5.0</u>	<u>0</u>					<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
					<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>					<u>0</u>	<u>0.3</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Sargasso Sea & Gulf Stream									<u>49</u>	<u>50</u>	<u>51</u>	<u>52</u>							
									<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>							
									<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>							
									<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>							
Slope Water	<u>8</u>	<u>9</u>	<u>18</u>		<u>19</u>	<u>20</u>	<u>33</u>	<u>34</u>	<u>35</u>	<u>47</u>	<u>48</u>	<u>53</u>	<u>54</u>	<u>59</u>	<u>60</u>	<u>65</u>	<u>66</u>	<u>4</u>	<u>5</u>
	-	<u>0</u>	<u>0.4</u>		<u>0.1</u>	<u>0</u>	<u>0.1</u>	<u>0.1</u>	<u>0</u>	<u>0.1</u>	<u>0.1</u>	<u>0.1</u>	<u>0</u>	<u>0.1</u>	<u>0</u>	<u>0</u>	<u>0.1</u>	<u>0.1</u>	<u>0</u>
																			<u>6</u>
																			<u>0</u>
																			<u>0.1</u>
High Velocity Region	<u>12</u>	<u>13</u>	<u>14</u>	<u>15</u>	<u>27</u>	<u>29</u>	<u>30</u>	<u>31</u>	<u>32</u>	<u>41</u>	<u>42</u>	<u>43</u>	<u>44</u>	<u>55</u>				<u>2</u>	<u>3</u>
	<u>0.2</u>	<u>0.3</u>	<u>0.1</u>	<u>0</u>	<u>0.1</u>	<u>0.1</u>	<u>0.2</u>	<u>0.2</u>	-	<u>0</u>	<u>0.1</u>	<u>0</u>	<u>0</u>	<u>0</u>				<u>0.2</u>	<u>0</u>
Ring Core	<u>10</u>	<u>11</u>	<u>16</u>	<u>17</u>	<u>21</u>	<u>23</u>	<u>24</u>	<u>28</u>	<u>37</u>	<u>38</u>	<u>39</u>			<u>56</u>	<u>57</u>	<u>58</u>	<u>61</u>	<u>62</u>	<u>63</u>
	<u>0</u>	<u>0.2</u>	-	<u>0.5</u>	<u>0.5</u>	<u>0.4</u>	<u>1.0</u>	<u>0.2</u>	<u>0</u>	<u>0</u>	<u>0.1</u>			<u>0</u>	<u>0.1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
SS & GS									<u>49</u>	<u>50</u>	<u>51</u>	<u>52</u>							
									<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>							

Table 86. Volume of *Lampanyctus cuprarius* (ml/10,000 m³).

	Oceanus 118 April		Oceanus 121 June				Oceanus 125 August					Knorr 98 Sept-Oct				A2 110 Sept-Oct					
	8	9	19	20	33	34	35	47	48	53	54	59	60	65	66	4	5				
Slope Water	0	0	0	0	0	0	0	0	0	0.29	0	0	0	0	0	0	0				
	0	0	0	0	0	0	0	0	0	0	0	0	0	0.52	0.14	0	0				
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.04	0.04	0.03	0.41			
	0	0.67	0	0	0	0	0.67	0	0	0.56	0.40	0	0	0.04	0.10	0	0				
			0	0	0.23		1.00					0	0	0.23	0.58						
High Velocity Region	12	13	14	15	26	27	30	31	32	41	42	43	44	55		2	3				
	0	1.50	0	0	0	0	0	0	0	0	0.15	0	0	0.45		1.04	0				
	0	0.67	0.13	0	0	0	0	0	0	0	0	0	0	0.82		0	0.03				
	0.83	1.17	0.12	2.64	0	0	0	0	0	0.64	0	0	0	1.24		0	0.36				
	0.86		0	0	0	0.08	0.86	0.09	0.65		0	0	0	0		5.13	0				
					-	0.21	0	0.14			0										
Ring Core	10	11	16	17	21	23	24	28						56	57	58	61	62	63	64	1
	0	0	0	0	0	0	0	0						0	0	0	0	0	0.23	0	0.20
	0.65	0	0	2.11	0.80	1.73	0	0						0	0	0.61	0	0.43	0	0	0.60
	2.00	0	4.00	0.97	0.15	0.45	0	0.21						0	0	0	0	0	0	0	0.69
	0	6.43			1.25	0.77	1.56	1.65						0	0	0	0.69	0.24	1.54	0.43	0
					1.00	0	0	0						0.66	0.03	1.32	3.68	5.71	3.13	2.31	
Sargasso Sea & Gulf Stream									49	50	51	52									
									0.16	0	0	0.43									
									0.02	0	0	1.39									
									0	0	0	0.17									
									0.36	0	0	0									
Slope Water	8	9	18	19	20	33	34	35	47	48	53	54	59	60	65	66	4	5	6		
	-	0.17	0	0	0	0.12	0	0.33	0	0.02	0.21	0.10	0	0	0.16	0.18	0.01	0.10	0		
High Velocity Region	12	13	14	15	27	29	30	31	32	41	42	43	44	55			2	3			
	0.42	1.13	0.06	0.66	0.07	0.11	0.17	0.05	-	0.16	0.06	0	0	0.75			1.54	0.10			
Ring Core	10	11	16	17	21	23	24	28	37	38	39	56	57	58	61	62	63	64	1		
	0.66	1.61	-	1.01	0.76	0.68	0.31	0.47	0.08	0.14	0.41	0.13	0.01	0.26	1.00	1.19	1.03	0.55	0.37		
SS & GS									49	50	51	52									
									0.14	0	0	0.50									

Table 101. Volume of *Melamphaes suborbitalis* (ml/10,000 m³).

	Oceanus 118 April				Oceanus 121 June				Oceanus 125 August					Knorr 98 Sept-Oct				A2 110 Sept-Oct	
	8	9			19	20	33	34	35	47	48	53	54	59	60	65	66	4	5
Slope Water	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14.69
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
					0	0	0	0	0	0	0	0	0	0	0	0.58	0	0	0
High Velocity Region	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0.05	0	0	0	0	0	0	0	0	0	0	15.33	0
					-	0	0.05	0	0	0	0	0	0	0	0	0	0	0	0
Ring Core	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	9.55	0	0	0	0	0	0	0	0	0	0	0	0	0
					0	0	0	10.00	0	0	0	0	0	0	0	0	0	0	0
Sargasso Sea & Gulf Stream									0	0	0	0	0	0	0	0	0	0	0
									49	50	51	52							
									0	0	0	0							
									0	0	0	0							
									0	0	0	0							
Slope Water	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
					0	0	0	0	0	0	0	0	0	0	0	0	0.12	0	0
					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
High Velocity Region	0	0	0	0	0	0.93	0.02	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
					0	1.91	0	0	0	0	0	0	0	0	0	0	0	0	0
Ring Core	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SS & GS									0	0	0	0	0	0	0	0	0	0	0
									49	50	51	52							
									0	0	0	0							

Table 107. Volume of *Nemichthys scolopaceus* (ml/10,000 m³).

	Oceanus 118 April				Oceanus 121 June				Oceanus 125 August				Knorr 98 Sept-Oct				A2 110 Sept-Oct		
	8	9			19	20	33	34	35	47	48	53	54	59	60	65	66	4	5
Slope Water	0	0			9.02	0	31.33	3.18	0	3.15	0.75	0	0.59	0	0	0	0	0	0
	0	16.47			0	4.21	1.67	3.33	0	0	0	0	0	0	0	0	0	0	0
	0	0			0	0	0	0	0	6.08	7.94	0	3.64	0	0.14	0	0	0	0
	0	0			0	0	0	0	0	0	0	0	0	0	0	0.07	0	0	0
					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
High Velocity Region	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	1.33	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	3.71	0	3.81	0	0	0	0	0	0	0	0	2.86
					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ring Core	0	0	0	0	0	0	0	0	0	0	0	0	0	0.35	0	0	0	0	0
	0	0	0	0	3.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	13.64	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0			0	0	0	5.77	0	0	0	0	0	0	0	0	0	0	0
					0	0	0	0	0	0	0	0	0	0.13	0.24	0.24	0.19	0	0.05
					0	0	0	0	0	0	0	0	0	0	0	0.63	0.54	0	0
Sargasso Sea & Gulf Stream									0.03	0	0.17	0							
									49	50	51	52							
									0	0	0	0							
									0	0	0	0							
									0	5.86	0	0							
									0.03	0	0.17	0							
Slope Water	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	4.12	0		0.90	1.05	2.11	1.32	0	2.31	2.17	0	1.06	0	0.03	0	0.01	0	0
High Velocity Region	0	0	0	0	0	0	0	0.74	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0.74	0	0.76	0	0.27	0	0	0	0	0	0	0
Ring Core	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3.41	0	0	0	1.05	0	0	1.44	0	0	0.78	0	0	0.10	0.05	0.05	0.04	0.01	0.13
									0	0	0.78	0	0	0.10	0.05	0.05	0.04	0.01	0.13
									0	0	0.78	0	0	0.10	0.05	0.05	0.04	0.01	0.13
									0	0	0.78	0	0	0.10	0.05	0.05	0.04	0.01	0.13
SS & GS									0.01	1.47	0.04	0							
									49	50	51	52							
									0.01	1.47	0.04	0							

Table 110. Volume of *Notoscopelus resplendens* (ml/10,000 m³).

	Oceanus 118 April				Oceanus 121 June				Oceanus 125 August					Knorr 98 Sept-Oct				A2 110 Sept-Oct	
	8	9			19	20	33	34	35	47	48	53	54	59	60	65	66	4	5
Slope Water	0	0			0.98	0	5.00	0	0	0	0	0	0	0	0	0	0	0	0.90
	0	0			0	0	1.25	0	0	0	0	0	0	0	0	0	0	0	0
	0	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
					0	0.24	0		0	0	0	0	0	0	0.91	0	0	0	0
High Velocity Region	0	0.05	0.03	0	0	0	0	0.68	0.01	0.08	0	0.79		0				2	3
	0	0.06	0	0	0	0	0	0	0	0	0	0		0				1.67	0
	0	0	0	0	0	0	0	0	0	0	0	0		0				0	0
	0	0	0	0	0	0	0	0	0	0	0	0		0				0	0
					-	0.35	0.19	0				0.95						0	0
Ring Core	0	0	0	0	0.10	0.12	0.03	0						0	0	0	0	1	0.50
	0	0	0	0	0	0	0	0						0	0	0	0	0	0
	0	0	0	0	0.03	0	0	0						0	0	0	0	0	0
	0	0			0	0	0	0.04						0	0	0	0	0	0
					0	0	0	0.03						0	0	0	0	0	0
Sargasso Sea & Gulf Stream									0.18	0	0	0							
									0	0	0	0							
									0	0	0	0							
									0	0	0	0							
Slope Water	0	0	0	0	0.10	0	0.48	0	0	0	0	0	0	0	0.18	0	0	0	5
																			0.23
																			0.16
High Velocity Region	0	0.03	0.01	0	0.09	0.01	0.04	0	0.01	0.03	0.19	0.47		0				2	3
																		0.42	0
Ring Core	0	0		0	0.01	0.02	0.01	0.01	0.02	0.52	0.71			0	0	0	0	1	0.13
SS & GS									0.05	0	0	0							

Table 118. Volume of *Scopelogadus beanii* (ml/10,000 m³).

	Oceanus 118 April				Oceanus 121 June				Oceanus 125 August					Knorr 98 Sept-Oct					A2 110 Sept-Oct	
	8	9			19	20	33	34	35	47	48	53	54	59	60	65	66			
Slope Water	<u>8</u> 0	<u>9</u> 0			<u>19</u> 0	<u>20</u> 0	<u>33</u> 0	<u>34</u> 0	<u>35</u> 0	<u>47</u> 0	<u>48</u> 0	<u>53</u> 0.02	<u>54</u> 0	<u>59</u> 0	<u>60</u> 0	<u>65</u> 0.10	<u>66</u> 0			
	11.82	0			0	0	7.27	0	0	0.09	0	0	0	0.44	0	9.09	0.04			
	<u>20.00</u>	0			0	0	0	0	0	0	0	0	0	16.55	0	16.00	0			
					0	0	0	0.21						10.91	0	0	1.54			
High Velocity Region	<u>12</u> 0	<u>13</u> 0	<u>14</u> 0	<u>15</u> 0	<u>26</u> 0	<u>27</u> 0	<u>30</u> 0	<u>31</u> 0	<u>32</u> 0.08	<u>41</u> 0.01	<u>42</u> 0	<u>43</u> 0	<u>44</u> 0.01	<u>55</u> 0						
	0	0	0.67	0	0	0	0	0	0.12	0	0	0	0	0						
	0	0	0	0.18	0	0	0	0	0	0	0	0	0	0						
	0	0	0	5.24	0.03	0.04	0.05	0.03	0	0	0	0	0	0						
					-	2.81	0	0	0	0	0	0	0	0						
Ring Core	<u>10</u> 0	<u>11</u> 0	<u>16</u> 0	<u>17</u> 0	<u>21</u> 0	<u>23</u> 0	<u>24</u> 0	<u>28</u> 0						<u>56</u> 0	<u>57</u> 0	<u>58</u> 0	<u>61</u> 0	<u>62</u> 0	<u>63</u> 0	
	0	0	0	0	0	0	0	0						0	0	0	0	0	0	
	0	0	0	0.16	0.18	0.10	0	0.04						0	0	0	0	0	0	
	0	0	0	0.17	0.05	0.13	0	0						0	0	0	0	0	0	
				0	0	0	0	0						0.06	0.03	0	0.03	0.04	0	
Sargasso Sea & Gulf Stream									<u>49</u> 0.02	<u>50</u> 0	<u>51</u> 0	<u>52</u> 0								
									0	0	0	0								
									0	0.03	0.02	0								
									0	7.19	0.03	0								
Slope Water	<u>8</u> -	<u>9</u> 0	<u>18</u> 0.16		<u>19</u> 0	<u>20</u> 0	<u>33</u> 0	<u>34</u> 4.36	<u>35</u> 0.04	<u>47</u> 0	<u>48</u> 0.02	<u>53</u> 0.01	<u>54</u> 0	<u>59</u> 5.58	<u>60</u> 0	<u>65</u> 5.04	<u>66</u> 0.32			
High Velocity Region	<u>12</u> 0	<u>13</u> 0	<u>14</u> 0.17	<u>15</u> 1.36	<u>27</u> 0.71	<u>29</u> 0.05	<u>30</u> 0.01	<u>31</u> 0.01	<u>32</u> -	<u>41</u> 0.01	<u>42</u> 0	<u>43</u> 0	<u>44</u> 0.01	<u>55</u> 0						
Ring Core	<u>10</u> 0	<u>11</u> 0	<u>16</u> -	<u>17</u> 0.08	<u>21</u> 0.07	<u>23</u> 0.03	<u>24</u> 0.03	<u>28</u> 0.01	<u>37</u> 0	<u>38</u> 0	<u>39</u> 0			<u>56</u> 0.01	<u>57</u> 0.01	<u>58</u> 0	<u>61</u> 0.01	<u>62</u> 0.01	<u>63</u> 0.01	
														0.02	0.02	0.02	0.02	0.02	0.02	
SS & GS									<u>49</u> 0.01	<u>50</u> 1.81	<u>51</u> 0.01	<u>52</u> 0								

Table 120. Abundance of *Serrivomer beanii* (specimens/10,000 m³).

	Oceanus 118 April				Oceanus 121 June				Oceanus 125 August					Knorr 98 Sept-Oct				A2 110 Sept-Oct		
	8	9	14	15	19	20	33	34	35	47	48	53	54	59	60	65	66	4	5	
Slope Water	0	0	0	0	0	0	0	0	0	0	0.3	0.2	0	0	0	0.4	0	0	0	
	0	0	0	0	0	0.4	0	0	1.0	0.2	0	0.4	0	0	0	0.3	0	0	0.4	
	0.5	0			1.1	0	0	0	0	0.2	0.2	0	0	0.3	0	0	0	0	0.6	
					0.5	0	0.1		0					0.2	0	0	0	0.3	0.3	
High Velocity Region	12	13	14	15	26	27	30	31	32	41	42	43	44	55				2	3	
	0	0	0	0	0	0	0	0	0	0.1	0	0	0.1	0				0.2	0	
	0	0	0.3	0	0	0	0	0	0	0	0.9	0	1.3	0				0.3	0.3	
	0	0.2	0	0	0	0.5	0	0	1.0	0	0.5	0	0	0				0.7	0.4	
	0.3				1.4	0	0.5	0	0		0	0.4		0				0	0.8	
					-	0	0.2	0				0.5								
Ring Core	10	11	16	17	21	23	24	28						56	57	58	61	62	63	
	0	0	0	0	0	0	0	0						0	0	0	0	0	0	
	0	0	0	0	0	0	0	0						0	0	0	0	0	0	
	0	0	0	0.3	0	1.5	0.3	0						0	0	0	0	0	0	
	0	0			0.4	0	0.6	0						0.5	0.9	0.7	0.4	1.6	0.8	
					0	0	0	0.3						0	0.8	0	0.3	1.1	0	
Sargasso Sea & Gulf Stream									49	50	51	52								
									0	0	0	0								
									0	0	0	0								
									0.7	0.7	0.9	0								
									0.3	0.3	0	0								
Slope Water	8	9	18		19	20	33	34	35	47	48	53	54	59	60	65	66	4	5	6
	-	0	0		0.4	0.1	0.1	0	0.2	0.1	0.1	0.2	0	0.1	0	0.2	0	0.1	0.3	0.2
High Velocity Region	12	13	14	15	27	29	30	31	32	41	42	43	44	55				2	3	
	0.1	0.1	0.1	0	0.1	0.1	0.2	0	-	0.1	0.1	0.2	0.3	0				0.3	0.4	
Ring Core	10	11	16	17	21	23	24	28	37	38	39			56	57	58	61	62	63	
	0	0	-	0.2	0.1	0.3	0.2	0	0	0	0.1			0.1	0.4	0.1	0.1	0.5	0.2	
SS & GS									49	50	51	52								
									0.2	0.3	0.2	0								

Table 121. Volume of *Serrivomer beanii* (ml/10,000 m³).

	Oceanus 118 April				Oceanus 121 June				Oceanus 125 August					Knorr 98 Sept-Oct				A2 110 Sept-Oct	
	8	9			19	20	33	34	35	47	48	53	54	59	60	65	66	4	5
Slope Water	0	0			0	0	0	0	0	0	0.25	0.04	0	0	0	0.04	0	0	0
	0	0			0	0	0	0	0	0	0.24	0	0	0	0.09	0	0	0	12.96
	0	0			0	0.52	0	0	0.33	0.88	0	0.03	0	0	0	0	0	0	0.63
	0.68	0			24.74	0	0	0	0	0.89	2.04	0	0	17.24	0	0	0	0.35	16.67
					7.63	0	0	0	0					0.80	0	0			
High Velocity Region	0	0	0	0	0	0	0	0	1.56	0	0	1.48	0	0	0	0	0	0	0
	0	0	0.03	0	0	0	0	0	0	0.44	0	19.00	0	0	0	0	0	0.05	0.03
	0	0.20	0	0	0	0.05	0	0.14	3.50	0	7.80	0	0	0	0	0	0	0.07	0.18
	1.03		0	0	7.24	0	0.59	0	0	0	4.35	0	0	0	0	0	0	0	12.31
					-	0	2.56	0			0.10								
Ring Core	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.04
	0	0	0	0.27	0	0.25	0.03	0	0	0	0	0	0	0	0	0	0	0	0.06
	0	0			0.21	0	0.19	0	0	0	0	0	0	0.37	0.19	0.08	0.38	0.32	0.19
					0	0	0	0.26						0	0.32	0	0.05	0.21	0
																		0.27	
Sargasso Sea & Gulf Stream									0.49	0.50	0.51	0.52							
									0	0	0	0							
									0	0	0	0							
									0.07	0.03	0.20	0							
									0.05	0.03	0	0							
Slope Water	0	0	0		8.09	0.13	0	0	0.07	0.44	0.57	0.08	0	3.61	0	0.03	0	0.09	7.57
																			0.40
High Velocity Region	0.26	0.10	0.01	0	0.01	0.55	0.63	0.03	0.78	1.66	0.89	4.69	0	0	0	0	0	0.04	3.18
Ring Core	0	0	-	0.14	0.04	0.05	0.04	0	0	0	1.41		0.07	0.10	0.02	0.09	0.11	0.04	0.05
																			0.03
SS & GS									0.49	0.50	0.51	0.52							
									0.03	0.02	0.05	0							

Table 123. Volume of *Sternoptyx diaphana* (ml/10,000 m³).

	Oceanus 118 April				Oceanus 121 June				Oceanus 125 August				Knorr 98 Sept-Oct				A2 110 Sept-Oct		
	8	9			19	20	33	34	35	47	48	53	54	59	60	65	66	4	5
Slope Water	<u>0</u>	<u>0</u>			<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0.10</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
	<u>0.23</u>	1.14			<u>0</u>	0.48	<u>0</u>	<u>0.20</u>	<u>0.20</u>	<u>0.41</u>	0.25	<u>0.26</u>	0.64	<u>0.03</u>	<u>0</u>	<u>1.14</u>	<u>0</u>	1.19	<u>1.00</u>
	<u>0</u>	<u>0</u>			<u>0.21</u>	0.05	<u>0</u>		1.86	<u>0.23</u>	<u>0</u>	<u>0.22</u>	0.30	<u>0</u>	<u>0</u>	<u>0.17</u>	0.24	0.09	<u>0</u>
					<u>0.05</u>	<u>0</u>	<u>0.70</u>		0.57					<u>0</u>	<u>0</u>	<u>0.02</u>	<u>0</u>		
High Velocity Region	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0.02</u>		<u>0</u>			<u>0</u>	<u>0</u>	<u>0.04</u>
	0.42	<u>1.02</u>	<u>0.59</u>	0.29	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1.49</u>	<u>0.21</u>	0.02	<u>0.22</u>		<u>0</u>			<u>0.05</u>	<u>0.05</u>	<u>0.05</u>
	0.03		<u>0</u>	<u>0</u>	0.55	2.54	0.84	0.19	<u>0.55</u>	<u>0.11</u>	<u>1.49</u>	<u>0</u>		<u>0.16</u>			<u>1.80</u>	<u>1.25</u>	<u>1.25</u>
					-	0.70	0.58	<u>0</u>		<u>0</u>	0.11	<u>0</u>		<u>0</u>			<u>0</u>	<u>0</u>	<u>0</u>
Ring Core	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>							<u>0.06</u>	<u>0</u>	0.05	<u>0</u>	0.02	<u>0</u>
	<u>0.45</u>	0.50	4.73	<u>2.58</u>	<u>0.30</u>	<u>0.65</u>	<u>0</u>	0.50						<u>0</u>	<u>0</u>	0.05	<u>0.19</u>	0.02	<u>0.05</u>
	<u>0</u>	0.75			<u>0.38</u>	<u>0.13</u>	0.63	0.31						<u>0.11</u>	<u>0.16</u>	0.19	<u>0.85</u>	0.30	<u>0.20</u>
					<u>0.06</u>	<u>0</u>	<u>0</u>	<u>0</u>						<u>0.88</u>	<u>2.53</u>	1.74	<u>0.53</u>	2.93	<u>0.69</u>
Sargasso Sea & Gulf Stream									<u>49</u>	<u>50</u>	<u>51</u>	<u>52</u>							
									<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>							
									<u>0.02</u>	0.06	0.85	<u>1.00</u>							
									<u>1.23</u>	2.00	<u>0</u>	<u>0.36</u>							
Slope Water	<u>-</u>	<u>0.29</u>	<u>0.07</u>		<u>0.07</u>	<u>0.13</u>	<u>0.35</u>	<u>0.12</u>	<u>0.55</u>	<u>0.16</u>	<u>0.10</u>	<u>0.12</u>	<u>0.24</u>	<u>0.01</u>	<u>0</u>	<u>0.27</u>	<u>0.14</u>	<u>0.32</u>	<u>0.36</u>
																			<u>0.32</u>
High Velocity Region	<u>0.11</u>	<u>0.26</u>	<u>0.15</u>	<u>0.07</u>	<u>0.81</u>	<u>0.01</u>	<u>0.28</u>	<u>0.04</u>	<u>0.40</u>	<u>0.34</u>	<u>0.02</u>	<u>0.06</u>		<u>0.06</u>			<u>0.46</u>	<u>0.34</u>	
Ring Core	<u>0.11</u>	<u>0.31</u>	<u>-</u>	<u>1.29</u>	<u>0.17</u>	<u>0.16</u>	<u>0.13</u>	<u>0.20</u>	<u>0.24</u>	<u>0.05</u>	<u>0.04</u>			<u>0.21</u>	<u>0.54</u>	<u>0.42</u>	<u>0.31</u>	<u>0.66</u>	<u>0.19</u>
SS & GS									<u>49</u>	<u>50</u>	<u>51</u>	<u>52</u>							
									<u>0.31</u>	<u>0.52</u>	<u>0.21</u>	<u>0.34</u>							

Table 126. Abundance of *Symbolophorus veranyi* (specimens/10,000 m³).

	Oceanus 118 April				Oceanus 121 June				Oceanus 125 August					Knorr 98 Sept-Oct				A2 110 Sept-Oct	
	8	9			19	20	33	34	35	47	48	53	54	59	60	65	66	4	5
Slope Water	0	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0			0	0	0	0	0	0.2	0.3	0	0	0	0	0	0	0	0
	0	0			0	0	0	0	0	0.4	0	0	0.3	0	0	0	0.5	0	0
					0	0	0.1		0					0	0.3	0	0		
High Velocity Region	0	0	0	0	0.3	0	0.8	0.9	0.3	0	0	0		0			0	0	
	0	0	0	0	0	0	0	0	0	0	0	0		0			0	0	
	0	0	0	0	0	0	0	0	0	0.4	0.5	0	0.4	0			0	0	
	0		0	0	-	0.2	0.9	0	0		0	0.9	0	0			0	0	
Ring Core	0	0	0	0	2.0	1.8	0.3	0						0	0	0	0	0	
	0	0	0	0	0.2	0	0	0						0	0	0	0	0	
	0	0	0	0	0	0	0	0						0	0	0	0	0	
	0	0			0	0	0.6	1.2						0	0	0	0	0	
					0	4.1	1.1	0						0.3	0	0	0	0	
Sargasso Sea & Gulf Stream									0	0	0	0							
									0	0	0	0							
									0	0	0	0							
									0	0	0	0							
Slope Water	0	0	0	0	0	0	0.1	0	0	0.2	0.1	0	0.1	0	0.1	0	0	0	
High Velocity Region	0	0	0	0	0.1	0.2	0.5	0.3	-	0.1	0.1	0.2	0.1	0			0	0	
Ring Core	0	0	-	0	0.2	1.1	0.5	0.3						0.1	0	0	0	0	
SS & GS									0	0	0	0							

DOCUMENT LIBRARY

August 21, 1987

Distribution List for Technical Report Exchange

Attn: Stella Sanchez-Wade
Documents Section
Scripps Institution of Oceanography
Library, Mail Code C-075C
La Jolla, CA 92093

Hancock Library of Biology &
Oceanography
Alan Hancock Laboratory
University of Southern California
University Park
Los Angeles, CA 90089-0371

Gifts & Exchanges
Library
Bedford Institute of Oceanography
P.O. Box 1006
Dartmouth, NS, B2Y 4A2, CANADA

Office of the International
Ice Patrol
c/o Coast Guard R & D Center
Avery Point
Groton, CT 06340

Library
Physical Oceanographic Laboratory
Nova University
8000 N. Ocean Drive
Dania, FL 33304

NOAA/EDIS Miami Library Center
4301 Rickenbacker Causeway
Miami, FL 33149

Library
Skidaway Institute of Oceanography
P.O. Box 13687
Savannah, GA 31416

Institute of Geophysics
University of Hawaii
Library Room 252
2525 Correa Road
Honolulu, HI 96822

Library
Chesapeake Bay Institute
4800 Atwell Road
Shady Side, MD 20876

MIT Libraries
Serial Journal Room 14E-210
Cambridge, MA 02139

Director, Ralph M. Parsons Laboratory
Room 48-311
MIT
Cambridge, MA 02139

Marine Resources Information Center
Building E38-320
MIT
Cambridge, MA 02139

Library
Lamont-Doherty Geological
Observatory
Columbia University
Palisades, NY 10964

Library
Serials Department
Oregon State University
Corvallis, OR 97331

Pell Marine Science Library
University of Rhode Island
Narragansett Bay Campus
Narragansett, RI 02882

Working Collection
Texas A&M University
Dept. of Oceanography
College Station, TX 77843

Library
Virginia Institute of Marine Science
Gloucester Point, VA 23062

Fisheries-Oceanography Library
151 Oceanography Teaching Bldg.
University of Washington
Seattle, WA 98195

Library
R.S.M.A.S.
University of Miami
4600 Rickenbacker Causeway
Miami, FL 33149

Maury Oceanographic Library
Naval Oceanographic Office
Bay St. Louis
NSTL, MS 39522-5001

REPORT DOCUMENTATION PAGE	1. REPORT NO. WHOI-87-42	2.	3. Recipient's Accession No.
4. Title and Subtitle Midwater Fish Data Report for Warm-Core Gulf Stream Rings Cruises 1981-1982		5. Report Date October 1987	
7. Author(s) James E. Craddock, Richard H. Backus and Mary Ann Daher		8. Performing Organization Rept. No. WHOI-87-42	
9. Performing Organization Name and Address Woods Hole Oceanographic Institution Woods Hole, Massachusetts 02543		10. Project/Task/Work Unit No. 11. Contract(C) or Grant(G) No. (C) OCE 80-17270 (G) OCE 86-20402	
12. Sponsoring Organization Name and Address National Science Foundation		13. Type of Report & Period Covered Technical	
15. Supplementary Notes This report should be cited as: Woods Hole Oceanog. Inst. Tech. Rept., WHOI-87-42.			
16. Abstract (Limit: 200 words) During the multidisciplinary Warm-Core Rings Program in 1981 and 1982, 312 collections were made at 64 stations with a 20 m² MOCNESS midwater trawl. This report presents collection and station data, a list of species collected, and catch data (specimens and volume per 10⁴ m³, respectively) for the important families and species of midwater fishes.			
17. Document Analysis a. Descriptors 1. MOCNESS-20 2. Midwater Fishes 3. Warm-Core Gulf Stream Rings b. Identifiers/Open-Ended Terms c. COSATI Field/Group			
18. Availability Statement: Approved for publication; distribution unlimited.		19. Security Class (This Report) UNCLASSIFIED	21. No. of Pages 140
		20. Security Class (This Page)	22. Price